

Advertisement

Harvest Fields Since 1983

Carries a very wide selection of
Bulk Herbs, Oils, Tea, Tinctures & Incense
373 Dundas St. Woodstock Ont. Canada (519) 421 – 3384
<http://www.harvestfields.ca>



PRESCRIBER and CLINICAL REPERTORY of MEDICINAL HERBS

BY

Lt.-Col. F. Harper-Shove

HEALTH SCIENCE PRESS

BRADFORD, HOLSWORTHY
DEVON, EX22 7AP, ENGLAND

CHEST

Breasts

agalactia in nervous and fear-depressed women, with painful and swollen breasts *Puls.*
 mammary swelling in infants *Phytol.*
 — — and soreness *Phytol. + (Phytol.)*
 mammitis (*Echin.*), (*Polym. U.*), (*Hamam.*), (*Stram.*)
 —, during periods *Con. mac.*
 —, with dry skin and suppressed lacteal secretions *Piloc.*
 mastitis *Phytol. + (Phytol.)*, (*Bell.*), *Asclep. t.*, (*Piloc.*)
 —, acute (*Camph.*), (*Hyper.*)
 milk secretion, to check *Con. mac.*, *Bell.*, *Car. pet.*, *Salv. off.*, (*Camph.*)
 — —, to check after weaning *Polyp. off.*
 — —, to promote *Puls.*, *Piloc.*, *Foen.*, *Menth. pul.*
 morbid sensitiveness during menses *Phytol.*
 nipples, fissured *Acac. C.*
 —, sore *Mitch.*, *Phytol.*, (*Calend.*), (*Hamam.*), (*Hydras.*), (*Myrox. P.*), (*Cop. L.*), *Bapt. + (Bapt.)*, (*Thuja*)
 —, sore or excoriated (*Calend.*)
 nodular masses in mammary glands *Con. mac.*
 scirrhus of *Con. mac.*
 swollen and hard (*Car. pet.*)
 — and inflamed *Phytol.*, *Bry.*, *Acon.*, *Bell.*, *Cimic. rac.*
 tumours *Bapt.*, *Con. mac.*

CHEST

Empyema

Cinch.

Heart

acute pain ; restlessness ; fever ;
 full bounding pulse *Acon.* + *Asclep. t.*
 aneurism, with hardness and
 tension of pulse *Verat. v.*
 angina pectoris
Lobel., Acon., Gels., Cimic. rac.,
Crat. Oxy., Cer. gr., Lopop.
 ———, pain with tightness
 and constriction of chest *Lobel.*
 ———, sudden excruciating
 pain in left breast radiating
 down left arm, despondency
 and fear of death *Crat. Oxy.*
 ———, violent palpitation ;
 severe substernal pain radiat-
 ing to neck and arms ; irregu-
 lar pulse with tendency to
 syncope ; palpitation worse
 on least movement *Spig.*
 ———, with œdema and
 præcordial oppression, of
 smokers *Apoc. can.*
 aortic or mitral regurgitation,
 due to valvular lesions *Cer. gr.*
 asthenia and organic debility *Digit.*
 broken compensation *Digit.*
 cardiac pain *Crat. Oxy.*
 chronic structural disease, of
 ——— valvular disease with fail-
 ing or broken compensation *Junip. com.*
 compensation, disordered *Digit.*
 debility *Stroph.*
 ——— by overstrain or overwork *Coff.*
 dilated with mitral incompe-
 tence *Cer. gr.*
 ——— right heart with tricuspid
 incompetence *Digit.*
 dilatation, and hypertrophy *Lyco. v.*

CHEST

Heart

dilatation, first sound absent,
 weak or prolonged, or replaced
 by murmur ; pulse fast, inter-
 mittent and irregular *Crat. Oxy.*
 ———, right side dilated *Collins.*
 ———, with grief, worry, long-
 drawn sighs or sobbing *Ignat.*
 disorders, all *Conv. m., Crat. Oxy.*
 ———, caused by rheumatism or
 gout *Bry.*
 ———, functional, due to nervous
 origin *Cer. gr.*
 ———, of purely nervous
 type with intermittent pulse *Scutell.*
 ———, functional, with giddiness,
 imperfect voluntary motions,
 impaired vision, and sensation
 of pressure over larynx *Puls.*
 ———, nervous with feeble action *Cer. gr.*
 ———, with mental depression *Cer. gr.*
 disturbances, at menopause or
 menses *Cer. gr.*
 dropsy *Apoc. can.*
 dyspnoea, cardiac *Cer. gr.*
 endocarditis *Adon.*
 ———, acute *Camph. (subcut.), Crat. Oxy., Lyco.*
v., Stroph.
 ———, rheumatic *Cimic. rac.*
 ———, full, hard and tense pulse ;
 great muscular excitement *Verat. v.*
 ———, with full bounding pulse ;
 fever ; restlessness ; sharp
 cutting pain in left side *Acon.*
 ———, with severe pain in left
 side ; palpitation ; violent
 and visible " blowing " sound
 at apex of heart *Spig.*
 ———, cramp-like pain in heart,
 with feeling of weight thereon *Cer. gr.*

CHEST

Heart

endocarditis, with frontal or vertex headaches; rheumatism; pain under left nipple extending down left arm
Cimic. rac.
 enfeebled by long illness *Cer. gr. + Caps.*
 enlargement of *Aspar.*
 exceedingly irregular and fast pulse varying in rhythm and power *Digit.*
 failure *Strych. Ign.*
 fatty degeneration *Fuc. ves.*
 fatty heart; dyspnoea; pain in right arm; obesity *Phytol.*
 feeble circulation and low arterial pressure *Conv. m.*
 — quickened pulse with capillary obstruction *Conv. m.*
 — and irregular action of, with constriction of chest; fear and nervous sensations *Cer. gr.*
 functional asthenia *Acon.*
 — disorders of many kinds *Crat. Oxy., Cyt. sco.*
 hypertrophy and dilatation of the venous heart *Puls.*
 —, from excessive smoking; heart feels as if gripped by iron band *Cer. gr.*
 — great oppression in cardiac region; palpitation; dyspnoea; constricting pains and tenderness around heart *Lyc. v.*
 —, valvular insufficiency *Collins.*
 —, complicated with rheumatism *Colch. aut.*
 hydropericardium, oedema due to enfeebled heart, pulse feeble; soreness in uterine region; palpitation *Conv. m.*

CHEST

Heart

hydropericardium, dyspnoea worse lying down; oedema hands, feet and under eyes; very thirsty but water disagrees; sinking feeling; urine scanty and dark colour; skin distended and glistening; constipation; pulse slow *Apoc. can.*
 —, very slow pulse; skin bluish colour, especially eyelids, lips, tongue and nails, cyanosis worse on motion *Digit.*
 impaired action whether feeble, irregular or tumultuous *Cer. gr.*
 intermittent in rhythm *Cer. gr.*
 irregularities due to mechanical impediments *Conv. m.*
 irregular action *Cola v.*
 irritable, of excessive tobacco smokers, when action strong and erratic *Verat. v.*
 —, with palpitation from overwork; heart strain and the arrhythmia of simple dilatation, ventricular dilatation and asthenia *Digit.*
 irritability *Cola v.*
 —, irregularity and weakness with dyspnoea and praecordial oppression *Lyc. v.*
 —, with weak action *Digit.*
 mitral and tricuspid regurgitation with low arterial tension; cyanosis *Apoc. can.*
 — insufficiency with regurgitation, if no pericardial adhesions or advanced myocardial degeneration present *Digit.*
 — regurgitation and rheumatism of the heart with sense of weight or constriction *Collins.*

CHEST

Heart

irritability, regurgitation with valve insufficiency *Crat. Oxy.*
 — stenosis and regurgitation *Digit.*
 myocarditis; dyspnoea; palpitation, rush of blood to head *Crat. Oxy.*
 neuralgia of *Cer. gr., Lobel.*
 nervous and other disorders, with giddiness, imperfect motion, pressure over throat and sense of impending danger *Puls.*
 nervous, with intermittent pulse *Scutell.*
 palpitation, and vehement heart action with arrhythmic movements, dyspnoea and diminished arterial pressure *Conv. m.*
 —, and spasms *Acon.*
 —, and other disorders *Lyc. v., Lobel.*
 —, due to excessive tea drinking *Cinch.*
 —, due to gastric distention *Eug. arom., Camph.*
 —, due to indigestion *Acon.*
 —, due to nervous irritability *Camph.*
 —, from excitement or shock *Passif.*
 —, irregular action and spasm *Acon.*
 —, from irritation of cardiac nerve centres, or organic lesions *Lyc. v.*
 —, nervous and fainting *Valer.*
 —, reflex from gastro-intestinal irritation *Kalm.*
 —, reflex, of neurasthenic, hysterical, and chlorotic subjects *Stroph.*
 —, violent *Hyosc.*
 —, with debility *Prun. ser.*
 —, with full, strong pulse; bloodshot eye; tobacco heart *Verat. v.*
 —, with sharp, stitching pains *Cann. sat.*

CHEST

Heart

pectoral neuralgia from nervous dyspepsia *Pip. meth.*
 pericarditis *Crat. Oxy., Lyc. v., Bry., Cer. gr., Verat. v., Acon., Asclep. t.*
 —, after acute pains have passed *Piloc.*
 —, severe pain shooting into arm and neck, stitching pain in left breast; dyspnoea, can only lie on right side; palpitation, least movement produces feeling of suffocation *Spig.*
 —, stitching pains, worse on motion, better lying on affected side *Bry.*
 —, when complicated with rheumatism *Cimic. rac.*
 praecordial oppression and apprehension of danger or death *Cer. gr.*
 rapid, due to excessive smoking *Lyc. v.*
 rheumatic, debilitated, irregular *Collins.*
 rheumatic *Cimic. rac.*
 scarlatinal angina with tendency to destruction of tissue *Sang.*
 smokers *Cola v.*
 spasm, suffocating feeling, and palpitation *Acon.*
 strain *Bry. + Arn.*
 strain from over-exertion *Adon.*
 syncope or extreme weakness *Bell.*
 tachycardia *Crat. Oxy.*
 threatened failure in all diseases *Stroph.*
 tobacco *Cer. gr., Conv. m.*
 tonic for feeble action, dyspnoea, etc. *Visc. alb.*
 — to strengthen heart muscles *Cer. gr.*
 — especially for tendency to dropsy *Apoc. can., Leon.*
 — for oppressive feeling and dropsical state *Conv. m.*
 valvular incompetency *Crat. Oxy.*

CHEST

Heart

valvular insufficiency with difficult breathing Cola v.
 weak action with low blood pressure and shortened diastole with consequent venous stasis, increased back-pressure and feeble intermittent or irregular pulse Adon.
 — and irregular, from chronic nephritis Adon.
 —, due to muscular debility Stroph.
 — heart sounds Digit.
 — intermittent pulse Adon.
 —, rapid and irregular action with low arterial tension Digit.
 —, rapid, flaccid pulse Digit.
 weakness of nervous depression Aven.
 —, valvular and other, especially with kidney complaints Adon.
 — with valvular murmurs, sighing respiration, or difficult breathing with nerve depression Crat. Oxy.

Pain

bruised, worse from deep breath cardiac Stict. pul.
 constrictive type of Prun. ser.
 dyspnoea, with Cer. gr.
 fullness of chest with dyspnoea Stroph.
 great, over gall-bladder coursing to left and downwards Serp.
 heavy, sore and oppressive Podo.
 hypertrophy Lobel.
 irregular with anæmia Crat. Oxy.
 neuralgia, cardiac Crat. Oxy.
 —, intercostal Crat. Oxy., Lobel.
 — — — — — Cimic. rac., Rhus t., (Caps. (tinct.))
 — — — — — with hyperæmia Gels.
 oppression with pain and cough Lobel., Bry.
 pectoral neuralgia from nervous dyspepsia Pip. meth.

CHEST

Pain

pleural, worse on motion and short hacking cough or nervous, with bronchial secretion arrested though skin moist Asclep. t.
 —, worse from motion and cough Asclep. t.
 —, and muscular soreness in chest (Lobel.)
 pleurisy (see also under **Respiration**)
 —, to remove fluid Asclep. t.
 pleuritic, and hoarseness Piloc.
 pleurodynia (Bell.), Asclep. t., Eupat. per.
 Piloc., (Acon.), (Ol. Tereb.), Cimic. rac.,
 Bry. (Ol. Tereb.),
 praecordial Stroph.
 —, oppression Crat. Oxy.
 pulmonary tuberculosis, in (Bell.)
 rheumatism diaphragmatic Cimic. rac.
 sharp, stitching cardiac, with palpitation Cann. sat.
 short lancinating, radiating from heart to left shoulder and arm Lobel.
 soreness and dull, in pectoral muscles, worse when deep breathing Stict. pul.
 — with acute "cold" (Myr. fr.)
 spasm of heart muscle Cer. gr.
 sticking, cardiac Collins.
 strain due to over-exertion Crat. Oxy.
 vascular excitement with rapid, tumultuous action but lacking power Lyco. v.

BACK

Lumbar	bruised pain, stiffness and lameness, soreness and "bubbling" sensation in rectal region	Berb. v.
	burning pain in deep-seated colicky pain from kidneys and hips to navel	<i>Rhus t.</i>
	deep-seated pain, with hot, moist skin and full, strong pulse	Agrim.
	drawing and muscular pains in loins, back and thighs	Eupat. pur.
	overloaded intestines, due to pain in	Cimic. rac.
		Jugl. cin.
		Cimic. rac. + Bry. + Gels., (Bell.), Paull., Xanth., (Brass. n.), (<i>Caps. (tinc.)</i>), <i>Acon.</i>
	pain in, sthenic patients	<i>Verat. v.</i>
	pain with dry skin	Piloc.
	sense of weight and dragging pain in loins, with scant renal secretion	Serp.
	sense of weight and dragging pain with renal atony, in aged severe pain and bearing-down pelvic pain	Junip. com.
	weight and dragging pains in loins and perineum, not due to prostatic enlargement	Vibur. pr. Uva U.
Neck	crick in, back or sides	Cimic. rac. + (Cimic. rac.)
	pain across shoulders, back of neck, extending to occiput	external Stict. pul.
	stiff	Cimic. rac.
	stiff, rheumatic	<i>Acon.</i>
	swellings	Salix nig.
	wry	Xanth., (Bell.) (external use)

Pain	aching, between scapulæ	Iris v.
	—, from menstruation	Kalm.
	debility and soreness	Arn., <i>Bell.</i>
	difficult or abnormal urination, with	Agro.
Spinal	dull, in right shoulder with fullness or pain over liver	Chel. m.
	thighs, with spasmodic dysmenorrhœa, and	Vibur. Op.
	congestion	Clav. pur.
	inflammation	<i>Bell.</i> , <i>Acon.</i> , <i>Gels.</i>
	injuries to, shocks, or concussion	Hyper., Chel. m.
	irritation, non-febrile	<i>Acon.</i> , (Polym. U.)
	—, heat in palms, and tingling end of toes, worse in bed; occipital to frontal headaches; spine tender with sensitive spots; indigestion; palpitation; back hurts when pressed against anything	<i>Bell.</i>
	—, with excitement or convulsions	<i>Verat. v.</i> <i>Verat. v.</i>
	—, with spasms	
	—, with tenderness and burning pain on least pressure	Hyper.
	meningitis, cerebro- (see under Head).	
	—, nervous tension in legs, worse on motion; great thirst	Bry. <i>Verat. v.</i>
—, pulse full, hard and tense		
—, throbbing pain in spine; drowsiness with sleeplessness, starts at every sound	<i>Bell.</i>	

EXTREMITIES

EXTREMITIES

Ankles	and other joints, aching pain after exertion and from a relaxed state of the ligaments	Cinch.
Chilblains		(Camph. (<i>lin.</i>)), (Sang.), (Ulm. f. (<i>poult.</i>)), (Echin.), (Cop. L.), <i>Puls.</i>
	itching	(<i>Acon.</i>), (Ol. Tereb.)
Coldness	blueness, and clamminess, and of hands, easily frightened, starts at every sound of surface in children's diseases — — —, with feeble circulation persistent, in feet and legs of women at menopause, with grief and worrying sensation of, with marked tenderness, lameness, or soreness to touch	Solan. dul. Myric. cer. Calend. Zing. Sang. <i>Ignat.</i> Melil. off.
Corns	and bunions, inflamed	Dros. (All. cep.), (<i>Lobel.</i>), (Ol. Tereb.)
Cramp	pregnant women, legs of	Vibur. pr.
Feet	burning of soles cold, with feeble circulation frozen full and œdematous on pressure hyperhydrosis swollen tender, sore, and fagged	<i>Ignat.</i> Solan. dul. (Sang. + Ulm. f. (<i>poult.</i>)), <i>Cop. L.</i> Apoc. can. Piloc. Erech. (Symph.), (Rumex cr.)
Felons		(Phytol.), (<i>Lobel.</i>), (<i>Verat. v.</i>)

Gangrene	senile, with icy lower extremities worse from being covered	Clav. pur.
Glands	swollen and inflamed	(Ol. Tereb.)
Gout		Arist. l., Bid., Coff., Frax. ex., (<i>Bell.</i>), Gen. tinc., Ilex Par., (Pop. can.), (<i>Tam.</i>), Teuc. Ch., Tarax., <i>Gels.</i> , Guaia., <i>Colch. aut.</i> , Menis. Can., (Menis. Can.), Art. v.
	acute	<i>Colch. aut.</i>
	chronic	Guaia.
	rheumatic	(<i>Acon.</i>)
	sthenic conditions, in stomach conditions leading to	<i>Verat. v.</i> <i>Puls.</i>
Hands	chapped	Thuja.
Hip	disease, scrofulous diathesis	Helian. can.
Inflammation		
	JOINTS	
	acute articular rheumatism	(Ol. Tereb.)
	affections	(<i>Lobel.</i>)
	arthritis	Frax. ex., (<i>Acon.</i>)
	—, chronic, with fullness of lymphatic nodes and weak digestion	Menis. Can.
	gouty swelling	(Senec. Jac.)
	neuritic, from impaired function	Xanth.
	MUSCLES	
	swellings	(Camph. (<i>lin.</i>))
	—, with neuralgic pains	(Gault.)
Lameness	associated with rheumatism or neuralgia	Melil. off.
Locomotor Ataxia		<i>Nux Vom.</i> , Thuja, <i>Phys. ven.</i> , Cola v., Xanth.
	lightning pains	<i>Cann. sat.</i>

EXTREMITIES

Nail	toe, ingrowing	Polyp. off., Thuja.
Edema	feet with pale, waxy skin and nephritis, of feet and legs, with scanty urine and pale tissues	Erech. Pip. meth. Chel. m. Cer. gr.
	hepatic congestion, with left hand and foot limbs, with cardiac weakness and irregularities, of numbness of left arm, with	Cer. gr. Cer. gr.
Pain	JOINTS	
	aching	Aego.
	—, from relaxed ligaments	Cinch.
	cramp	Stach. pal.
	general	Stach. pal.
	hip	Puls.
	knee, especially with liver trouble	Chel. m.
	—, white swelling	Helian. can.
	stiffness	Tarak. K.
	—, and swollen	Bry.
	—, swollen and painful	(Piloc.), (Bell.)
	—, from rheumatic inflammation	Rhus t.
	swollen, painful and itching	(Gault.)
	MUSCULAR	
	cramp in calf	Vibur. Op., (Bell.)
	fugitive rheumatic	Kalm.
	myalgic	(Gault.), (Bell.), (Acon.), Clav. pur., Xanth.
	—, due to strain of muscular exertion or to recent colds from exposure to inclement weather	Gels.
	—, soreness and swelling	(Camph. (lin.))
	neuralgic, deep burning	Rhus t.
	neuritic	Acon., Melil. off.
	—, deep burning	Rhus t.

EXTREMITIES

Pain	MUSCULAR	
	sciatic	Melil. off.
	—, rheumatic and gouty	Senec. Jac.
	temporary lameness and soreness	(Ol. Tereb.)
	thighs and back, with spasmodic dysmenorrhœa, of	Vibur. Op.
	GENERAL	
	drawing, in right leg and foot, cold as ice whilst left foot is normal	Chel. m.
	soles of feet, worse from warmth of bed; ankle joints swollen, in	Led.
Paraplegia	without marked organic lesion with vascular sluggishness	Rhus t. Clav. pur.
Periostitis	of long bones, swollen and inflamed, worse at night and from damp	Daph. Mez.
	syphilitic, night pains, and shin pains	Berb. aq.
Phlebitis	limb pale; swollen veins, hard and knotty, painful to touch	Puls.
Rheumatism		Celas. sca., Coff., Aral. n., (Bell.), Frax. ex., Gen. tinc., Ilex Par., Meny. tri., (Pop. can.), Teuc. Ch., (Tam.), Solan. dul., Tarax.
	acute muscular with burning pains and erysipeloid redness, swelling, tension and glistening skin	Rhus t.
	chronic	(Bell.), Beton., Guaia.
	—, in aged, with muscular soreness and joint pains	Con. mac.
	feet, travels upward, in	Led.
	fever high and restlessness	Acon.
	— —, in gouty subjects, tearing pain worse from heat	Colch. aut.

EXTREMITIES

Rheumatism	finger joint swellings	Bry.
	joints swollen and stiff	Bry.
	limbs weak, stiff and feverish ; pains shift from place to place, cannot be touched, worse at night	<i>Colch. aut.</i>
	muscular, parts hot, swollen and tender ; darting pains, worse on motion, followed by numb- ness	Kalm. + <i>Gels.</i>
	—, pain with swelling, puffi- ness of neighbouring tissues	Piloc.
	—, acute, muscles sore and tender	Cimic. rac. + <i>Gels.</i>
	—, chronic, no fever ; skin soft ; pain dull and heavy, but continuous	Brun. (<i>Gault. (oil)</i>) Apoc. can.
	—, articular	Melil. off.
	oedema, with	<i>Acon.</i>
	rheumatoid lameness and sore- ness	Cimic. rac.
uncomplicated	<i>Pisc. Ery., Aego., (Senec. Jac.), Rhus t., Gels., Acon.</i>	
wrist joints swollen and red ; motion impossible, touch un- bearable	Phytol. Apoc. can.	
Sciatica		
bruised sore feeling, pains shoot down posterior portion of hip		
oedema, with		
subacute, or chronic, with sharp shooting, tearing or dull pain from back to hips and down legs, without fever	<i>Colch. aut.</i>	
Sores	bad legs, and	(<i>Nymph.</i>)
Synovitis		Bry.
Ulceration	or " bad leg "	Plant. m., Phytol., (<i>Glech.</i>), (<i>Stell. m. (oint.)</i>)
Whitlow		(<i>Phytol.</i>), (<i>Lobel.</i>)

SKIN

Abrasions	Thuja.
Acne	(<i>And. Ar.</i>), (<i>Hydras.</i>) + <i>Hydras.</i> , <i>Arct. L.</i> , <i>Iris v.</i>
inflamed	(<i>Verat. v.</i>)
rosacea	(<i>Clav. pur.</i>)
seborrhœa	(<i>Clav. pur.</i>)
skin rough, pimples persistent	<i>Berb. aq.</i>
youths, on face of	<i>Berb. aq.</i>
Anthrax	<i>Trill.</i>
Boils, Absces- ses and Carbun- cles	(<i>Fic. Car. (poult.)</i>), (<i>Trig. Foen.</i>), (<i>Echin.</i>), <i>Phytol.</i> + <i>Iris v.</i> , (<i>Verat. v.</i>)
blood purifiers	<i>Aln. ser.</i> , <i>Echin.</i> , <i>Phytol.</i> , <i>Dicen.</i>
blood poisoning suspected, if	<i>Echin.</i>
cavities, to cleanse	(<i>Echin.</i>)
congestion, first stage	<i>Bell.</i>
external	(<i>Bell. + Glycer.</i>)
inflamed	(<i>Verat. v. + Acon.</i>)
malignant carbuncle of dusky, bluish or purple colour	<i>Echin.</i>
non-open	(<i>Ulm. f.</i>)
old	(<i>Ol. Tereb.</i>)
pus-oozing granulations	(<i>Myrox. P.</i>)
recurrent crop of	<i>Aln. ser.</i> , <i>Arct. L.</i>
recurrence, to prevent	<i>Echin.</i> , <i>Arct. L.</i>
scarring, to lessen	(<i>Calend.</i>)
sinuses	(<i>Car. pet.</i>)
slow and painful	<i>Lyc. cl.</i>
suppuration, to prevent	(<i>Acon. + Hamam. + Arn.</i>)

SKIN

Bruises and Sprains	(Polyg. mul.), (Camph. (<i>lin.</i>)), (Sassa.), (<i>Tam.</i>), (Ol. Eur.), Arn., (Melal. L.), (Hamam.)
not abraded	(Art. Abs.), (Hyper.)
discoloration, to remove	(Hyss. (<i>leaves</i>))
Burns and Scalds	<i>Semp.</i> , (Menth. pip.), (Ol. Eur.), Lin. usti., (Calend.), Phytol., Trif.
pus-oozing granulations, after	(Myrox. P.)
Chancroid	soft pultaceous (Thuja.)
Chilblains	not open (Ulm. f.), (<i>Caps.</i>), (Myrox. P.)
Condition and Colour	blanched, full, smooth, easily indented blistered brown, tongue coated at base, tip red conjunctivæ, and, yellow with nausea and colicky pains chafed or abraded chafy dirty, sallow, full and expressionless skin and tongue, with dyspepsia, vomiting of food, and frequent desire to urinate dry and hot ; dull ache in liver region and left shoulder dry and hot ; with small frequent pulse dry and hot, or inclined to moisture dryness of, and mucosa, marked fluid depravation, with tendency to sepsis and malignancy foul pale, waxy, with pedal œdema and nephritis
	Apoc. can. (<i>Daph. Mez.</i>) Menis. Can. Diosc. (Calend.) (Cel. sca.) Oenoth. b. Lept. <i>Acon.</i> Asclep. t. Piloc. (Echin.) (Echin.) Erech.

SKIN

Condition and Colour	red, burning, intumescence sallow, dirty-looking, with hepatic tenderness and expressionless eyes —, greenish, with hepatic congestion scaly and horny tissues of chronic skin diseases soft and relaxed, extremities cold, and circulation weak surface extremely sensitive, too sensitive to be touched torpor of tender and sore, of face and scalp, too tender to be touched yellow, with pain in region of liver —, and conjunctivæ —, without pain	<i>Rhus t.</i> Chion. v. Chel. m. (Car. Pap.) Salv. off Lyco. cl. Serp. Bry. Lept. Chion. v. Chion. v.
Corns	(Dros.), <i>Semp.</i> , (Car. Pap.), (Impat.)	
Crusta Lactea	Iris v. + (Iris v.), Arct. L. copious exudation which mats hair, with burning and itching, worse at night greyish-white crusts, offensive odour	Viol. t. Arct. L.
Diseases of (<i>not otherwise classified</i>)	(Pop. can.), (Ol. Eur.), (Sapon.), (Sesa. ind.), Fum., Meny. tri., (Hamam.), Linar. v., Dorst. C., (Ricin. c.), Polyp. v., Rumex cr., Veron. off., Larix. Am., (Stell. m.) chronic, general Rumex cr. + Aln. r. + Gent. + Tarax. —, especially	Iris v.

SKIN

Disorders of chronic, with feeble circulation
(not otherwise classified) and tendency to ulceration (Grind. cam.)
 —, with vitiated blood Rumex cr.
 —, sluggish (Cop. L.)
 —, with blood dyscrasia, with Berb. aq.
 or without syphilitic taint
 damaged condition of epithelium (Grind. cam.)
 depressed secretions with urinous odour Solan. dul.
 dry character, of a Piloc.
 feeble cutaneous circulation Arct. L.
 hæmorrhagic transudation into skin and mucosa Ol. Tereb. R.
 inflammations, tumid, glistening, red, burning, irritable *Rhus t.*
 leprosy Sieg.
 lupus (All. sat.) + All. sat., Thuja + (Thuja.)
 —, deeply-ulcerating Iodine.
 non-open (Ulm. f.)
 profusely secreting tumid mucous membranes Berb. aq.
 proud flesh (Thuja.)
 purpura Ol. Tereb. R.
 pustular Solan. dul., Jugl. cin.
 scaly Solan. dul., (Hamam.), Berb. aq.
 —, especially Solan. dul.
 scrofulous Chel. m., Jugl. n. + (Jugl. n.), Sapon., Helian. can., Teuc. Ch., Solan. dul., Aral. n.
 —, syphilitic and rheumatic Tarak. K.
 scurvy Meny. tri., Veron. bec., Ol. Tereb. R.
 syphilitic Jugl. n. + (Jugl. n.), Jacar. pro., Hemid., Sieg., Phytol.
 —, scaly, pustular, with phagedenic ulcerations Berb. aq.
 venereal Sapon.

SKIN

Disorders of with blood impurities
(not otherwise classified) (Aln. ser.), Aln. ser., Echin., Arct. L., Rumex cr., Scroph. n.
 with irritation and ichorous discharges Still.
Eczema Jugl. n. + (Jugl. n.), Hydras. + (Hydras.), Berb. aq., (Bell.), (Bet. alb.), Rumex cr., Tarak. K., Jugl. cin., Chel. m., (Sang.), (Ol. Eur.), Thuja.
 acrid moisture beneath scabs
 with much itching *Delph. Staph.*
 burning sensation, with *Rhus t.*
 chronic (Calot.), (Myrox. P.)
 —, and itching
 —, of vesicular type (Eug. arom.), Iris v. + (Iris v.) (Grind. cam.)
 dry (Thuja), (Piloc.)
 outlets of body, etc., at Hydras.
 papular (Acon.)
 pustular Aln. ser.
 —, with cracked or fissured skin, persistent Podo.
 scaly Phytol.
 scaly pustular, on face Berb. aq.
 stubborn Arct. L.
 weeping (Sang.), (Tsuga.)
 with redness, swelling, and burning *Rhus t.*
 — glutinous, sticky exudation, and general body depravity (Echin.)
Eruptions Cimic. rac.
(not otherwise classified) acute infectious diseases, in early stages of Acon. + Bell., (Led.)
 burning and itching, in desquamative stage of (Ol. Eur.)
 capillary engorgement in eruptive diseases Xanth.

SKIN

Eruptions cutaneous Scroph. n. + (Scroph. n.),
 (not other- Asclep. t. + Zing.
 wise classi- —, to cleanse (Quill.)
 fied) dermatitis, acute form (Ol. Eur.)
 determine, to Nep. Cat.
 dilation of skin capillaries with
 smarting and pain (Hamam.)
 dry, scaly Arct. L., (Cel. sca.)
 excessive dryness of skin, with Asclep. t.
 herpetic Berb. aq.
 moist cutaneous, in children Viol. t.
 obstinate And. Ar., Solan. dul.
 pemphigus with redness, swel-
 ling and burning *Rhus t.*
 retrocession of Solan. dul.
 smallpox, and other infective
 diseases Bapt., Gels., Sarr. pur., Bell.,
 Acon., Verat. v., *Rhus t.*, Cimic.
 rac.
 syphilitic Sang.

Erysipelas (See under **Face**).

Erythema *Bell.*, Hydras.
 burning pain, with redness and
 itching Echin. + (Echin.)
 function from Echin., Rumex cr., (Calend.),
 (Hamam.), (Echin.)
 skin red, hot and dry *Bell.*, (Hamam.)

Fistulæ (Thuja.)

Freckles (Hamam.), (Glech.)

Gangrene with free but fetid discharge (Eucalyp.)

Glands sebaceous, to stimulate
 Arct. L., Helian. can.

Granulations of small sinuses (Myrox. P.)
 pus-oozing after operations (Myrox. P.)

SKIN

Growths cancerous, to relieve pain of (Con. mac.)
 deposits in skin or mucus
 membrane Gal. Ap.
 moles Thuja + (Thuja.)
 naevi (as warts)
 nodular Gal. Ap., Lyco. cl.
 nodular masses in axillary and
 mammary glands Con. mac.
 verrucose (Chel. m.)
 warts (Thuja), (Dros.), (Car. Pap.), (Sang.)
 (Impat.)
 wens (Sassa.)

Herpes labialis (Verat. v.)
 general Berb. aq., (Urt. d. (H.))
 with burning, itching and exuda-
 tion *Rhus t.*
 zoster Serp., (Verat. v.)

Inflammatory (Ulm. f.), (Alth. ros.), *Semp.*
Rhus t.
 acute
 cellular, with feeble circulation
 in the skin Arct. L.
 erysipelalous (Lobel.)
 inflamed surfaces (Alth. off.)
 local, to ease pain and hasten
 suppuration (Verat. v.)
 suppurating and sloughing sores (Cinch.)
 with full or swollen and dusky
 tissues and tendency to des-
 truction (Bapt.)
 with redness, swelling and burn-
 ing *Rhus t.*

Irritation (sometimes denoting kidney
 trouble, diabetes, or improper
 food) *Rhus t.*, *Bell.*, *Ignat.*,
 (Hamam.), (Hydras.)
 with female troubles (Con. mac. (oint.))

Leprosy (Calot.)

SKIN

Growths	cancerous, to relieve pain of	(<i>Con. mac.</i>)
	deposits in skin or mucus membrane	Gal. Ap.
	moles	Thuja + (Thuja.)
	naevi (as warts)	
	nodular	Gal. Ap., Lyco. cl.
	nodular masses in axillary and mammary glands	<i>Con. mac.</i>
	verrucose	(Chel. m.)
	warts	(Thuja), (Dros.), (Car. Pap.), (Sang.) (Impat.)
	wens	(Sassa.)
	Herpes	labialis
general		Berb. aq., (Urt. d. (H.))
with burning, itching and exudation		<i>Rhus t.</i>
zoster		Serp., (<i>Verat. v.</i>)
Inflammatory		(Ulm. f.), (Alth. ros.), <i>Semp.</i>
	acute	<i>Rhus t.</i>
	cellular, with feeble circulation in the skin	Arct. L.
	erysipelatos	(<i>Lobel.</i>)
	inflamed surfaces	(Alth. off.)
	local, to ease pain and hasten suppuration	(<i>Verat. v.</i>)
	suppurating and sloughing sores with full or swollen and dusky tissues and tendency to destruction	(Cinch.)
	with redness, swelling and burning	(Bapt.)
		<i>Rhus t.</i>
	Irritation	(sometimes denoting kidney trouble, diabetes, or improper food)
with female troubles		(<i>Con. mac. (oint.)</i>)
		(Calot.)
Leprosy		(Calot.)

SKIN

Pruritis	jaundice, and pale watery alvine discharges, with	Chion. v.
	puddental	Solan. dul.
Psoriasis		(Ol. Eur.), Tarak. k., Berb. aq., (And. Ar.), Arct. L., Iris v. + (Iris v.)
	eruption moist and offensive, forming greyish-white crust	Arct. L.
	dry skin, with	Piloc.
	scaly pustular eruption on face	Berb. aq.
Purpura	dark, clotted venous hæmorrhage	Hamam.
Shingles		Rumex cr., Iris v., Helian. can., (Aral. rac.)
Sores	bed	(Thuja), (Styr. ben.), (Echin.)
	cleanse and tone, to	(Arum t. (<i>hot</i>))
	of all kinds	Phytol., Bapt., Echin.
	old, of scrofulous origin	(Oxal. ac.)
	stinking	Thuja + (Thuja)
Sunburn		(Hamam.)
Swellings		Arn., (Hyper.), (Sassa.), Lyco. cl.
	glandular	<i>Con. mac.</i>
	inflamed	(Hamam.)
Ulcers		(Amar.), Phytol. + Iris v., (Ulm. f.), (Rud. Id.), (Liquidamb.), (Vacc. Myr.) (Chrys. L.)
	aphthous and indolent	(Myric. cer.), Arct. L.
	bleeding cancerous	Clav. pur.
	carcinomatous	(Echin.), (<i>Con. mac.</i>)
	cleanse, to	(<i>Quill.</i>), (Pot. tor.), (Liquidamb.), (Corn. F.)
	fetid and gangrenous	(Cinch.), (Tsuga)
	from burns, wounds, and abscesses	(Ricin. c.)

SKIN

Ulcers	gangrenous, to lessen scarring	(Calend.)
	indolent	(Pter. M.), (<i>Daph. Mez.</i>), (Stell. m.)
	irritable and painful	(Bapt.)
	low vitality, of	(Myrox. P.)
	obstinate	Arct. L.
	old	(Ol. Tereb.)
	old indolent	(Grind. cam.)
	old tibial, due to varicosis	(Myrox. P.)
	scrofulous	Eryth. Am., (Myric. cer.)
	sluggish, cutaneous	Hydras. + (Hydras.), (Echin.)
	stinking tibial	(Echin.), (Liquidamb.)
	syphilitic	Hemid.
	—, phagedena	Berb. aq.
	tendency to ulcerate with watery discharge and boggy edges	Samb. can. (<i>Amer.</i>)
	Urticaria	
and functional pruritus		<i>Rhus t.</i>
Varicella	initial stages	<i>Acon.</i>
Variola	initial stages	<i>Acon.</i>
	to prevent and cure	Sarr. pur.
	to prevent pitting	(Camph.)
	with livid colour and foul discharges	<i>Rhus t.</i>
Wounds		(Rub. Id.), (Hamam.), (Chrys. L.), (Oph. v.), (Vacc. Myr.), (Styr. ben.)
	bleeding	(Stach. pal.)
	non-open	(Ulm. f.)
	sloughing	(Thuja.)
	ulcerous and obstinate	(Symph.)
	very painful, and heal slowly	(Echin.)

SLEEP

Disturbed	fretful, and, sudden starting up with sharp shrill cry of fright	<i>Rhus t.</i>
	Dreams	disturbed by unpleasant, wakes sad and languid night terrors, fright and restlessness
Insomnia	acute or chronic diseases, with aged persons, and of remittent fevers	<i>Lyc. v.</i> <i>Acon.</i>
	atony, from	<i>Cyprip. pub.</i>
	brief spells of sleep disturbed by unpleasant dreams, with excitability and unrest, from exhaustion, debility, or insanity, of	<i>Cann. sat.</i> <i>Hyosc.</i>
	— from nervous excitation, in extreme restlessness, sensitiveness, with	<i>Hyosc.</i> Mon. punc.
	general	Prim. ver.
	— (baths), Asar.	Prim. ver., Aven., Eryth. C., (Til. Can.)
	mental overwork, from	Lact. v.
	mental unrest, from	<i>Cyprip. pub.</i>
	melancholia from menstrual irregularities after prolonged or severe pain	<i>Cyprip. pub.</i>
	morbid vigilance in disease, from nervous exhaustion, from	<i>Lyc. v.</i> <i>Puls.</i>
	— irritability, from	<i>Cyprip. pub.</i>
	— irritation and cough, from	Verbas.
	— tension, from	<i>Gels.</i>
— unrest, from	Camph., <i>Pisc. Ery.</i>	
nervousness and palpitation, with	Leon.	
sedative, as	Caul. th.	

SLEEP

Insomnia	wakefulness in fevers	<i>Cann. sat.</i>
	worry or overwork, or febrile excitement, from	<i>Passif.</i> , Humul.
	— and nervous debility, from	<i>Puls.</i> , <i>Passif.</i>
	— and neurasthenia, from	Humul.
Restless	young, or aged, in	<i>Passif.</i>
	and broken with fright and terror	<i>Hyosc.</i>
	with anxiety, etc.	Cinch.

FEVER

Bilious	full, bounding pulse ; nausea ; heavy feeling in stomach ; vomiting of bitter substance	<i>Acon.</i> + <i>Nux Vom.</i>
Catarrhal	early stages with deep-seated pains in loins	<i>Eupat. per.</i>
Enteric		<i>Echin.</i> , <i>Eupat. per.</i> + <i>Jeff. diph.</i> + <i>Xanth.</i> + <i>Helon.</i>
Feverishness	from cold, with restlessness and anxiety	<i>Acon.</i>
	hectic (<i>disguised malaria, especially if with neuralgia</i>)	Quinine.
Gastric		<i>Acon.</i>
	overloaded stomach, from	<i>Acon.</i>
General		<i>Kalm.</i> , <i>Serp.</i> , <i>Petas. v.</i> , <i>Silph. per.</i> , <i>Corn. ser.</i> , <i>Corn. F.</i> , <i>Scab.</i> , <i>Alst. con.</i> , <i>Levist.</i> , <i>Teuc. Sco.</i> , <i>Camph.</i> , <i>Eupat. per.</i>
	acute, quiet and busy delirium, of	<i>Stram.</i>
	apathetic, secretions scanty and vitiated, and nervous depression	Bry.
	cathartic, as useful	Lept.
	cold stages, during	<i>Acon.</i>
	dry skin and membranes, with	<i>Piloc.</i>
	early stages	<i>Verben.</i>
	— — — — —, with or without restlessness	<i>Acon.</i>
	for mild perspiration in	<i>Melis. off.</i>
	formative stages, in	Lept.

FEVER

General

great restlessness, excitability ;
flushed face ; bright eye ;
contracted pupil ; hot head
hectic *Gels.*
Cinch.
highly feverish state with ner-
vous excitement ; hot head ;
tremulous, jerky muscles ;
great restlessness ; high tem-
perature *Gels.*
inactive, intractable, depressing,
with red or highly-coloured
urine, worse in afternoon,
perhaps with irritative stom-
ach or sore throat *Lyc. cl.*
low, typho-mania and tremors *Cyprip. pub.*
—, typhus *Fer. sum.*
—, with irritable stomach *Acac. sen.*
many kinds of, especially when
accompanied by hard pulse ;
flushed right cheek ; frontal
pain ; irritative cough ; and
sharp cutting pain, worse on
motion *Bry.*
periodic or remittent *Quinine, Lyc. cl., Achill.*
perspiration, to promote *Serp.*
prolonged, after, to promote
gastric digestion *Gent.*
rheumatic *Acon.*
scanty salivary secretions, and
pain with movement of gases
in abdomen *Zing.*
scarlet, and congested states *Bell.*
skin dry, not followed by per-
spiration, with deep-seated
aching pain and great thirst *Eupat. per.*
sthenic, in children, with con-
vulsive complaints *Gels.*
— conditions with inflamma-
tion, delirium, etc. *Verat. v.*

FEVER

General

sudden onset and rapid evolu-
tion *Acon.*
tympanites *Asafet.*
Hay (see also under **Nose**) *Piloc.*
with headache *Stict. pul.*
Intermittent *Pip. n., Phys. alk., Apoc.*
can., Teuc. Ch., Adhat.,
Carb. ben., Cusp. f., Chion.
v.
Influenza colds (see also under **Respira-**
tion) *Achill.*
Glandular *Acon. + Phytol.*
Malarial *Agro., Lept., Magn.*
early stages *Acon.*
heavy, dull headache ; obstinate
constipation ; hepatic pain ;
burning pain under right
scapula ; tongue dirty brown ;
skin yellow ; cough, with
frothy sputa ; urine scanty
and highly coloured *Grind. cam.*
irregular and masked types, of *Eupat. per.*
not responding to quinine *Eucalyp.*
typho-, with marked tenderness
of viscera *Bry., Echin.*
Puerperal *Echin.*
Remittent chills and fever ; severe bruised
pain ; mind stupid and slug-
gish *Gels.*
general *Apoc. can., Quinine, Lyc. cl.,*
Achill.
Scarlet dropsy following *Sang.*
diuretic, as *Gal. Ap.*
eruptions, to determine *Carth. t.*

FEVER

Scarlet malignant form, thin, ichorous,
burning and excoriating nasal
discharge ; delirium ; breathes
with open mouth ; picks at nose Arum t.
malignant form Phytol. + Echin.
prophylactic Bell. (*in minute doses*)
simple form Acon. + Bell.

Typhoid Serp., Bry., Echin., Bapt.,
Chion. v., Acon. + Rhus t.
+ Gels.

bowel ulceration Epil.
conditions with bad blood Bapt.
— with asthenic blood Arn.
dark red besotted appearance ;
eyes injected ; stupor and
delirium ; tongue dry and
coated brown ; offensive
breath ; sordes on teeth ;
body feels scattered in pieces Bapt.
delirium with face pale and
sunken ; tongue dry ; pro-
found stupor ; teeth sordid ;
lower jaw drops ; involuntary
stools and urine ; muttering Hyosc.
dry tongue ; low muttering
delirium ; sordes of lips and
teeth ; diarrhoea Rhus t.
flashes of heat with chilliness of
back ; profound prostration ;
facial flushings Echin.
for heart Visc. alb.
pre-, not amounting to enteric
fever Lept.
sleep, to promote Passif.
suppression of natural secretions Caps.
tympany and ulceration, to
prevent, when tongue dark
red, glazed or brown-coated,
hard, dry and cracked, with
sordes on teeth Ol. Tereb. R.

FEVER

Typhus antipyretic Bapt.
great cerebral congestion with
throbbing carotids Bell.
mild delirium Hyosc.
profound stupor ; sordes on
teeth ; chills in back ; flushed
face ; foul breath Echin.

Urethral due to catheterization Acon.

Yellow Acon., Bell., Bry., Cimic
rac., Verat. v.
dizziness ; slight chills ; pains
in back and limbs ; uneasy
feeling in epigastrium ; nausea
and vomiting ; faintness Psyc. Ipec.
first stage Acon. + Bell.

Zymotic Bry.

GENERAL

GENERAL

Affections	scrofulous and syphilitic	Vitis.
Afternoon	suffering, feverish and rheumatic, with kidney, gastric, liver or bladder trouble	Lyco. cl.
Ague	chronic — with exhaustive discharges irregular syphilitic tonics, to promote recovery from to break up periodic chills with alternate chills and flushes	Jugl. cin., Acor. C., Alst. con., Quinine, Cean. Am., Corn. F. Euony., Eupat. per. Eucalyp. Eupat. per. Berb. aq. Gent., Euony., Xanth., Ptel. t. Myr. fr. + Geran. mac. Polyp. off.
Alcoholism	craving, to overcome habitual	Pic. ex., Hydras. Gels.
Alteratives	Solan. dul. with scaly skin disorders ; troubles from cold and dampness ; coldness and blueness of extremities. Aln. ser. with scrofula, or feeble vitality, or with chronic scaly or pustular skin diseases ; glandular enlargements ; boils ; wasting of flesh in children. Iris v. with enlarged spleen ; liver complaints ; goitre ; enlarged soft glands ; rough greasy skin with discoloration ; uterine troubles with skin pustules. Still. for lymphatic or secretory function ; scrofulous liver ; syphilitic and skin diseases ; feeble tissues ; mucus membranes tumid, red and glistening.	

Alteratives	Hemid. as for Still., in cases of blood depravity ; chronic rheumatism ; etc. Rumex cr. for cases of scrofulous, cutaneous, and syphilitic disorders ; bad blood ; bu-bonic and other glandular enlargements ; nervous dyspepsia with pain in left breast ; chronic sore throat and cough. Phytol. as above, also for hard glandular enlargements ; sore and blistered mouth or tongue ; ulcerated throat ; rheumatic complaints ; nervous atony. Sassa. generally used as adjunct to any of the above. Scroph. n. struma ; ulcerations about head and face ; enlarged glands ; full lips ; pink and white countenance. Trif. with ulcerous and cancerous conditions. Aral. rac. especially with pulmonary affections.
--------------------	--

Anæmia	Solan. ins., <i>Nux Vom.</i> , Gent., Jateor. broken-down constitution ; pale, hippocratic expression ; eyes sunken with dark rings, due to some drain on system as hæmorrhage, diarrhœa, excesses, suppuration, etc. chronic, due to uterine and ovarian weakness debility from chronic suppuration, and marked, with heart irregularity worn out mentally and physically ; back feels tired and weak ; albumin in urine ; womb sore and tender	Cinch. Helon. Cinch. <i>Crat. Oxy.</i> Helon.
---------------	--	---

Anodynes	<i>Acon.</i> , Eryth. Coc., <i>Hyosc.</i> , Humul., <i>Cann. sat.</i> , <i>Pisc. Ery.</i>
-----------------	---

GENERAL

Blood

PULSE

feeble, tremulous, with contracted pupils
 frequent in chronic diseases with debility
 full, oppressed with feeble venous flow and mucous debility
 —, frequent and bounding
 —, hard, sharp and strong with deficient secretion
 —, rapid, corded and wiry
 —, strong, intense with throbbing of carotids
 —, laboured and doughy with blood-current moving with difficulty
 hard, vibratile, flushed right cheek; frontal headaches, and irritative cough
 nervous excitement, to reduce in quick, small
 rapid and beating so forcibly that sleep is prevented
 —, with low blood pressure
 —, small, with dilated pupils
 small, and frequent, whether corded or compressible
 —, soft, and compressible, irregular and intermittent, with dyspnoea
 —, quick and vibratile with sharpness of stroke, associated with burning sensations
 trill as if wiry but soft
 weak, with sub-normal temperature and relaxed tissues

Phys. ven.

Lyc. v.

Myric. cer.
Verat. v.

Piloc.
Verat. v.

Verat. v.

Lobel.

Bry.
Gels., Cer. gr.
Acon.

Verat. v.
Stroph.
Phys. ven.

Acon.

Asp. Q.

Rhus t.
Stict. pul.

Corn. F.

Crat. Oxy.

Acon.

VESSELS

atheromatous condition of capillary dilation from want of tone

GENERAL

Blood

GENERAL

hyperæmia
 increased arterial tension, with bloodshot eyes
 makers and purifiers
 poisoning
 —, from tumorous or malignant conditions
 purifiers
 scurvy

Acon.

Verat. v.

Berb. aq., Iris. v.
Echin.

Bapt.

Echin., Aral. n., Aln. ser., Phytol., Arct. L., Helian. can., Dicen., Aral. rac., Rumex cr.

Cit. Lim.

Cachexia

lymphatic, scrofulous, and syphilitic
 syphilitic and strumous

Iris v.
Still.

Cancer

on the skin
 re-development of growths, to prevent

Viol. od. (*leaves*), (Trif.), Gal. Ap., (Stell. m. (*oint.*)), *Con. mac.*, Hydras., Phytol. + (Phytol.)

(Thuja.)

Trif. + (Trif.)

Carminatives

Pim. off., Angel., Pimp. anis., Melis. off., Acor. C., Cinn. Zey., Eug. cary., Foen., Zing., Menth. pip.

Catarrh

(see also under other headings)
 acute, disorders from cold or suspended cutaneous function

Sesa. ind., Viol. t.

bronchi, bladder, and vaginal

Solan. dul.

chronic

Inul. Hel.

chronic inflammatory

Cet. Isl.

nasal, stomach and bladder

Pip. meth.

post-influenzal

Beton.

vesical, worse from dampness

Lobel.

Solan. dul.

GENERAL

Cathartics	Lept., Rham. c., Jugl. cin., Ipom. Pur., Podo., Lin. cath., Rheum., Cass.
Catalepsy	of unknown origin <i>Cann. sat.</i> obstruction of menses, due to <i>Puls.</i> religious excitement, due to <i>Stram.</i>
Children's Complaints	chicken pox <i>Bell., Rhus t., Acon.</i> disturbed sleep, sudden awaken- ing with cry ; cholera morbid; bowel complaints ; typhoid ; meningitis <i>Rhus t.</i> feverishness <i>Gels.</i> restless, peevish, nervous, denti- tion, digestive irritation, sum- mer diarrhoea <i>Matric.</i>
Chills and Chilliness	<i>Acon., Puls.</i> chilly sensations on motion <i>Gels.</i>
Chlorosis	<i>Helon., Puls., Nux Vom.,</i> <i>Asafet., Vibur. pr., Hell.</i> <i>n., Alet., Senec. aur.</i>
Chorea	<i>Con. mac., Cimic. rac. +</i> <i>Scutell. + Verben., Puls.,</i> <i>Bell., Paeon. off., Asafet.,</i> <i>Passif., Polyp. off., Cyrip.</i> <i>pub., Solan. Car.</i>
	children, in <i>Cimic. rac., Lobel.</i> girls at puberty, for <i>Cimic. rac.</i> mild spasmodic movements <i>Valer.</i>
Common Colds	<i>Menth. pul., Eucalyp., Euph.</i> <i>off., Achill., Mal. syl.</i> acute <i>Menth. pip.</i> beginning at <i>Acon.</i> ———, with chilliness <i>Gels.</i> break up, to <i>Corall.</i> diaphoretic with above <i>Asclep. t.</i> deep-seated, aching pain, and slight or no fever, with <i>Eupat. per.</i>

GENERAL

Common Colds	head, chest and stomach, in <i>Penth., Corall., Myric. cer. (snuff),</i> <i>Asclep. t.</i> in head, and bronchial cough, worse entering room <i>All. cep.</i> kidney and visceral trouble, with <i>Arist. serp.</i> on chest especially at beginning and end of winter, with per- haps dry cough, oppression, stomach deranged, etc. <i>Bry.</i> protracted, with cough and catarrh <i>Verbas.</i> second stage, when Eustachian tubes feel stuffed and occluded with moderate deafness <i>Puls.</i> tending to become chronic, or frequently repeated <i>All. sat.</i>
Collapse	nervous, due to overwork, sexual indulgence, masturbation, and excessive use of tobacco <i>Puls.</i>
Constitution	diseased, syphilitic <i>Berb. aq., Cory. Can.</i> scrofulous <i>Cory. Can.</i>
Convalescence	<i>Hydras., Tanac., Verben.,</i> <i>Arist. serp.</i>
Convulsions	<i>Asafet., Passif., Gels., Lobel.,</i> <i>Bell., Verat. v., Acon.,</i> <i>Valer., Art. v., Solan. Car.,</i> <i>Vibur. Op., Verben.</i> convulsive movements <i>Passif.</i> dentition of <i>Lobel., Passif.</i> epileptiform of idiopathic origin <i>Solan. Car.</i> great vascular excitement ; full pulse and cerebral hyperæmia <i>Verat. v.</i> hysterical and infantile <i>Solan. Car., Lobel.</i> infantile <i>Asafet., Gels.</i> ———, from bowel irritation or from respiratory obstruction <i>Lobel.</i>

GENERAL

Convulsions	puerperal spasms of childhood uræmic poisoning, with worms, from	<i>Crot. Tig.</i> <i>Gels., Lobel.</i> Piloc. <i>Lobel., Passif.</i>
Corpulence		Fuc. ves., Urt. d., Glech.
Cramps	abdominal; menstrual with coldness, tenderness and lame- ness of the stomach diarrhœa and dysentery, with leg at night, in limbs, in the various kinds	Vibur. Op. + Vibur. pr., <i>Lobel.</i> <i>Zing.</i> Epil. Vibur. pr. <i>Gels.</i>
Debility	(see also under Mind). constitutional digestive impairment, marked with faulty gastro-intestinal function- ing in aged, with general, with biliousness —, from gastro-intestinal irritation loss of tone and vigour muscular profound muscular, after long illness	Bux., Menis. Can., <i>Strych.</i> <i>Ign.</i> Hemid. Pop. tre. <i>Caps.</i> Berb. v. Ptel. t. Cinch. Commi. Myr. Cola v.
Demulcents		Maran., Symph., Agro., Cet. Isl., Chond. cr., Lin. usti., Glycerine, Alth. off., Ulm. f.
Diabetes	(see under Urinary).	
Diaphoretics		Asclep. t., Corall., Piloc., Bry., Angel., Melis. off., Eupat. per., Corall., <i>Psyc.</i> <i>Ipec.</i> , Menth. pul., Xanth., Achill.

GENERAL

Disorders	ACUTE due to cold and dampness	Solan. dul.
	ALL with profuse, watery discharges, and acute inflammation, or irritation with chronic structural, of heart, lungs, and kidneys	Euph. off. Junip. com.
	BLOOD	Viol. t.
	CONGESTIVE	<i>Bell., Lobel.</i>
	FEBRILE acute, to quieten delirium and overcome insomnia of rheumatic or gouty origin	<i>Gels.</i> Salix a.
	INFLAMMATORY all to quieten delirium and over- come insomnia	Teuc. Sco. <i>Gels.</i>
	MUCUS excessive discharge of chronic disorders, with fetid, with atony hæmorrhage, with thick, bland, and offensive dis- charges	Inul. Hel. Bapt. Symph. <i>Puls.</i>
	NERVOUS affections with convulsions and spasms “colds”, following functional mild neuritis and neuralgia with hyperæmia, nervous irritabil- ity, and sharp muscular twitch- ings neurosis, in women and children	Paeon. off. Til. <i>Strych. Ign.</i> <i>Ocim.</i> <i>Gels.</i> Verben.

GENERAL

Disorders neurosis, abdominal, due to prostatic, urethral, or testicular disease Pip. meth.
 nervous children and weak women Cyrip. pub.
 spasmodic Asafet.

PELVIC
 nervous irritability, from Cyrip. pub.

SCROFULOUS
 chronic Podo., Beton.

STRUMOUS Hydrang.

WASTING
 all, to increase flesh and build up strength *Seren. ser.*

Discharges chronic mucus or muco-purulent Eucalyp.
 excessive mucus Urt. d.
 mucus Kram.
 mucus after acute inflammation *Cop. L.*
 profuse, debilitating Geran. mac.

Diuretics Hydrang., Serp., Chim. umb., Eryng., Equis., Car. pet., Polyt. Jun., Dauc. C., Zea May., Ment. vir., Cyt. sco., Baros., Gal. Ap., Agro., Junip. com., Chond. t., *Anac. Pyr.*, Caps. Bur., Collins., Uva U.

Dropsical Complaints (see also under **Urinary**).
 Gen. tinc., Corn. ser., Polyt. Jun., Vitis., *Anag.*, Podo., Spir. U., Impat., Vacc. Myr., *Delph. Con.*
 abdominal Junip. com.
 atonic conditions, in Coch. a.
 cardiac origin of *Scill.*, Apoc. and., *Crat. Oxy.*,
 Coff., Conv. m.

GENERAL

Dropsical Complaints cardiac, with weak heart *Adon.*
 — weakness and irregularities, with Conv. m.
 chest of Samb. Eb.
 congestion of kidneys *Scill.*
 feet of, from weakness Apoc. can.
 general asthenic condition, and without fever, dependent on *Scill.*
 kidney diseases, with Equis.
 plethora, lungs, etc., of Ecb. Elat. (*Amer.*)
 renal origin, of Piloc.
 —, not from cardiac lesions *Poly. sen.*
 —, inefficiency, due to Pip. meth.
 scarlatina, after Car. pet. + Eupat. per.
 sthenic patients, in Piloc.
 testicular Thuja + Samb. Eb.
 thorax, heart, and abdomen, of Iris v.
 weakness and loss of appetite, with Chim. umb.

Elephantiasis (Calot.), (Viol. od.), Aln. ser.

Emetics *Psyc. Ipec.*, *Lobel.*, Brass. n., Eupat. per., Apoc. and., Aln. ser., Verben.

Emmenagogues Aloe, Chen. ol., Cimic. rac., Caul. th., Usti. May., Clav. pur., Ajug. Ch., *Hell. n.*, Senec. aur., Leon., Art. v., Ment. pul., Ruta gr., Art. Abs., Tanac., Teuc. Sco.

Emollients Lin. usti., Glycerine, Alth. off., Ulm. f.

Emulsifying Agents *Quill.*, Chond. cr., Acac. sen.

Enlargements glandular (*Hed.*)
 —, soft Iris v.

GENERAL

Enlargements	glandular, hard swollen, reddened and glistening	Phytol. <i>Rhus t.</i>
Epilepsy	(see also under Mind). attacks, to abort force and frequency —, to ward off convulsions, to prevent injury, due to maniacal excitement with masturbation, of reduce violence of convulsions and lessen frequency of attacks, to	<i>Ail., Lobel., Samb. n., Cimic. rac. + Scutell. + Verben.</i> Solan. Car. <i>Passif.</i> Viol. t. Oenan. ph. <i>Stram.</i> Jacar. pro. <i>Lobel.</i>
Excited	nervously, and highly feverish states, with hot head ; tremulous and jerky muscles ; great restlessness, and high temperature	<i>Gels.</i>
Excretions	foul	Echin.
Expectorants		<i>Poly. sen., Verbas., Lobel., Asclep. t., Stict. pul., Styr. ben., Inul. Hel., Marr. v., Psyc. Ipec., Hier., Polyp. v., Urg. Scill., Prun. ser., Eriod.</i>
Faintness	tendency to, after long illness, with mental depression	Cola v.
Febrifuges		<i>Acon., Cusp. f., Alst. con., Ceum., Melis. off., Eupat. per., Nep. Cat., Corall., Scab., Pot. rep., Gels., Verat. v., Cinch., Art. Abs.</i>

GENERAL

Feebleness	from disease, weak circulation and spinal innervation	Arn.
Flashes of Heat	from pelvis to back, up to head and down again	<i>Puls.</i>
Fretful	babies, to calm	Nep. Cat.
Gangrene	(see also under Skin , and Extremities). (Echin.), (Salix nig.), Thuja.	
Glands	(see also under Skin , Extremities , and Genitalia). all affections chronic indurated engorgement, hard (non-suppurating) —, soft inflamed —, from hepatic causes lymphatic, scrofulous enlargement swollen, cervical, axillary, and inguinal, not due to tuberculosis	Cel. sca., Iris v. (Camph. (<i>lin.</i>)) Phytol. Iris v. (<i>Bell.</i>) Polym. U. (Polym. U.) Phytol.
Goitre	(see also under Eye , and Throat). hard soft	Phytol. Iris v.
Growths	(see also under Nose , and Skin). cancerous	(Eucalyp.)
Habits	drug morphine opium tobacco, to overcome —, to substitute	<i>Gels.</i> Comb. sund. <i>Stram., Gels., Cann. sat.</i> Ol. Sassa., Cola v. Tuss. Far.
Hæmophilia		Ol. Tereb. R.

GENERAL

Hæmorrhages (see also under **Eye, Stomach, Abdomen, Urinary, Genitalia, and Respiration**)
 Acac. C., Ajug. rep., Polyg. bis., Cinn. Zey., Geran. mac., Achill., *Querc. L.*, Caps. Bur., Kram., Hæmat., Vinc. m.
 active Kalm., Clav. pur.
 check, to Kram., Geran. mac.
 general of lungs, bowel, and post-partum Usti. May.
 internal Trill., Prun. v.
 passive, from pelvic organs Hydras.
 —, nose, lungs, and stomach Hamam.
 post-partum Usti. May., Cinn. Zey.
 uterine, eyeball, etc. (Hydras.), (Hamam.)
 various, where amount is small Achill., Lyco. v.

Heat flashes of, and burning of surface of thighs, etc., accompanying deficient menstruation *Hell. n.*
 — —, especially at menopause *Cer. gr.*
 — —, pelvis to back, head, and down again *Puls., Acon.*

Hectic conditions *Cinch.*

Hemostatics Polyg. bis., Geran. mac., Usti. May., Clav. pur.

Hydrophobia Echin., Scutell. + Cyrip. pub. + *Lobel.*

Hypnotics *Bell.*, Solan. dul., Lyco. v., *Con. mac.*, *Hyosc.*, *Cann. sat.*, Visc. alb., *Passif.*, *Stram.*

Inflammation asthenic, with hot, dry skin; synovial *Acon.*

GENERAL

Inflammation bowels, stomach, urinary organs, or cerebro-spinal
 deep-seated, to abort exudation stage, when reached
 gastric and stomachic hectic, also passive
 lungs, bowels, and synovial
 lungs, stomach, bowels, and bladder
 obstinate to prevent mortification
 peridental
 pulmonary, etc., with full bounding pulse
 serous membranes covering thorax, abdomen, and the contained organs of, first-stage
 sthenic cases, in synovial
Gels.
 (Lin. usti.)
 Bry.
 Prun. Per.
 Quinine (*s.d.*)
 Bry.
 Ulm. f.
 (Alth. off.)
Acon.
Verat. v.
Acon. + Bell.
 Piloc.
 (Arn.), *Acon.*, Bry.

Influenza (see also under **Respiration**).
 Piloc., Eupat. per., Bry., *Beton.*, *Lobel.*
 great soreness all over body; severe bone pains; hoarseness and cough; soreness in chest, when coughing supports chest with hands
 Eupat. per.

Irritability children during dentition
 nervous, infantile
 Cyrip. pub.
Passif.

Irritants *Citr. Col.*, Bry., *Caps.*, Brass. n., *Rhus t.*, Thuja.

Irritation obstinate chronic, of mucus membranes
 nervous, with depression, flatulence, headache and vertigo
 nerve centres, of, due to excited circulation
 Kalm.
 Asafet.
Verat. v.

GENERAL

Laxatives	Rham. c., Rham. Pur., Tar- ax., Hydras., Podo., Frax. Orn., Lin. cath.
Left	side of body influenced by <i>Puls.</i>
Lymphatic Complaints	Still., Iodine., Iris v., Phytol. imperfect elimination Iris v.
Malaise	Corall.
Measles	<i>Bell., Acon., Puls., Dros., Gels., Stict. pul., Trif., Rhus t., Eupat. per.</i> catarrhal phenomena, to con- trol, relieve cough, and assist elimination <i>Asclep. t.</i> eruption, to determine <i>Carth. t.</i> face cold, pale and hippocratic with retrocession of rash <i>Camph.</i> high fever, eruption slow in making appearance <i>Asclep. t.</i> sore eyes, margins of lids swollen with watery acrid discharge <i>Euph. off.</i> with distressing catarrhal con- ditions <i>Euph. off.</i>
Mucosa	affections of all kinds <i>Phytol.</i> burning and itching <i>Sang.</i> catarrhal status unaccompanied by acute inflammation <i>Hydras.</i> chronic and debilitated condition of, with tendency to diarrhoea <i>Corn. F.</i> congestion of <i>Chond. t.</i> congested and irritable <i>Collins.</i> debility of, with feeble venous flow and full pulse <i>Myric. cer.</i> inflamed, chronic <i>Penth.</i> — and irritable <i>Acac. sen., Ulm. f.</i> irritation of, with feeble circula- tion <i>Hydras.</i>

GENERAL

Mucosa	irritation of, with vascular exci- tation <i>Acon.</i> pale and lax <i>Commi. Myr.</i> pale with scanty viscous secre- tion <i>Caps.</i> profusely secreting, tumid <i>Berb. aq.</i> relaxed, and enfeebled, with excessive catarrhal discharge <i>Ol. Tereb. R.</i> red, glistening and swollen, with scanty secretion <i>Still.</i> serous, with sharp cutting or tearing pains <i>Bry.</i> surfaces, ulceration or erosion of <i>Hydras.</i>
Mumps	<i>Asclep. t., Phytol., Puls., Bell., Acon.</i> deficiency of saliva <i>Piloc.</i> fever <i>Acon. + Phytol.</i> irritation of nervous system with blood to brain <i>Gels.</i> orchitis <i>(Echin. + Phytol. + Bell.)</i> sharp pulse and nervous ereth- ism <i>Rhus t.</i>
Muscular	debility, and malnutrition <i>Hydras.</i> insufficiency <i>Stroph.</i> pains in visceral coats, or pec- toral muscles, or under scapu- lae <i>Iris v.</i> rigidity <i>Lobel.</i> soreness, worse on pressure <i>Hydras.</i> spasms <i>Hyosc.</i> —, painful <i>Pisc. Ery.</i> spasmodic contraction <i>Lobel.</i> strain, soreness, etc. <i>Hamam.</i> —, from injuries, or over-exertion <i>Arn.</i> twitchings of the face <i>Ignat.</i> —, with restlessness <i>Cyprip. pub.</i>
Mydriatics	<i>Bell., Hyosc., Stram.</i>

GENERAL

Narcotics (see **Hypnotics**).
Nervous Disorders (see also under **Mind**).
 epilepsy, chorea, etc. Visc. alb.
 exaltation, hyperæsthesia Bell. (s.d.)
 fevers and headache Lach.
 irritable conditions especially
 with spasms or pain Diosc.
 melancholy and weakness, with Puls.
 prostration from overwork, Panax.
 dyspepsia Cimic. rac.
 spasmodic from menstrual troubles
 Hyosc.
 unrest, fright, terror in sleep, insomnia
Neuralgia (see also under **Face** (pain)).
 anus and lower bowel, in Acon., Ignat.
 ciliary, worse on motion, when
 touched or in attempting to
 sit up Bry.
 face and eyes, pain stabbing
 from occiput to orbit, malar
 bones and teeth painful, pro-
 fuse lachrymation from affect-
 ed eye Spig.
 fifth cranial nerve, especially
 from Quinine.
 intercostal and pericardial Asclep. t.
 idiopathic with cold extremities
 and headache (chronic) Melil. off.
 liver, abdomen and stomach,
 especially in Diosc.
 lumbar, sciatic, and crural Apoc. can.
 other remedies, to assist Acon.
 pain sharp, shooting or stabbing Gels. + Kalm.
 Xanth.
 pain in delicate persons
 small of back and loins, in Tuss. Far. + Petas. v.
 toothache and headache, asso-
 ciated with Plant. m.

GENERAL

Neuralgia tonic for neuralgic conditions Swert. Ch.
 various kinds Passif., Pisc. Ery., Pip. meth.
 viscera with throbbing, with Aesc. H.
Neuritis extreme sensitiveness Cann. sat.
 fever, restlessness, pulse full and
 bounding Acon.
 traumatic, parts inflamed with
 tingling, burning and numb-
 ness Hyper.
Neurasthenia nerves weak ; brain tired ; irrit-
 ability, easily excited ; excess
 of phosphates in urine ; sexual
 excesses, and occipital head-
 ache Aven.
Nodes syphilitic ; falling of hair ; hec-
 tic fever and eruptions on
 body Dicen.
Nutritives Maran., Chond. cr., Cet. Isl.,
 Orch. mas., Seren. ser.,
 Ulm. f.
Obesity (see **Corpulence**).
Edema (see also under **Extremities**).
 Apoc. can., Samb. Eb.
 due to cardiac insufficiency Asclep. inc.
Outlets of Body irritation, etc. Thuja.
 ulcerations Phytol.
Pain all (Anth. n. (poult.))
 aches from "colds", onset of
 fever or from muscular exer-
 tion, whole body Cimic. rac.
 acute, better for movement Asclep. t.
 aged in, where there are caco-
 plastic deposits Con. mac.
 bones, in the, especially with
 influenza Eupat. per.

GENERAL

Pain burning character, of a
bruises and sprains, of
bruised sore feeling, worse on
motion
cancerous growths
cardiac, rectal, facial, and other
neuralgia
choking sensations
coldness of extremities and
marked tenderness, lameness
and soreness to touch, with
cramps and spasms
cutting and tearing, worse on
movement
debility, with
deep-seated, boring and tensive
pains
—— —, and inflammations
drawing, as if contracted muscu-
lar fibres
erysipelas, cancerous, gonor-
rhoea, from
exposure to wind, on
extreme sensitiveness to all
organs of special sense with
pale, livid or dirty complexion
—— — of surface ; objection
to sensitive part touched
—— tenderness and soreness,
worse on pressure
fractures, carcinoma, cholera
morbus, etc. from
general, and aches
heavy tensive aching
inflammatory
muscular
neuralgic, periosteal, particu-
larly if associated with malar-
ial infection
—— spasmodic

Rhus t.
(*Lobel.*)
Bry.
Viol. od.
Passif.
Hyosc.
Melil. off.
Vibur. Op.
Bry.
Puls.
Cimic. rac.
(Brass. n.)
Cimic. rac.
Echin.
Puls.
Lyco. cl.
Lyco. cl.
Bry.
Pisc. Ery.
(Melil. off.)
Cimic. rac.
Ech. v.
Piloc.
Eupat. per.
Cann. sat.

GENERAL

Pain nervous tension and excitement,
with
pericardial
periosteal and nodes
puffiness of tissues, with
rheumatic, cramps and con-
vulsions
——
rheumatoid and muscular
severe, worse on motion or
touching part
shifting from place to place
(neuralgic or rheumatic)
spasms, with
——, and nervous unrest in
aged or infant, and anæmic
or debilitated
——, anus, uterine, cystic, ure-
thral, and other viscera
spasmodic, colicky contractions
——, especially, with anæmia
——, of nervous origin with
marked depression
soreness of muscular tissues as
if bruised or pounded
superficial and localized
tired, languid, torpid, worse on
movement
uneasy and throbbing sensation
with dull aching
various kinds
—— —, especially in chest,
lungs, etc.
worse on movement

Paralysis (see also under **Eye**, and
Urinary). (Tam.)
agitans
from below upwards ; vertigo ;
staggering gait
hemiplegia

Gels.
Asclep. t.
Still.
Piloc.
Iris foet.
(Menth. pul.)
Cimic. rac.
Cinch.
Puls.
Stram., Pisc. Ery.
Hyosc.
Bell.
Diosc.
Hyosc.
Cann. sat.
Cimic. rac.
Stram.
Bry.
Aesc. H.
Bell. + (Bell.)
Bry.
Bry.
Con. mac.
Con. mac.
Rhus t.

GENERAL

Paralysis	hemiplegia, following apoplexy hysteria, neurasthenic, or fol- lowing diphtheria or syphilis infantile lead, or arsenic legs of local rheumatism, after palsy, for women	Aven. <i>Strych. Ign.</i> Collins. + Aven. <i>Strych. Ign.</i> <i>Rhus t.</i> <i>Ignat., Nux Vom.</i> <i>Gels., Rhus t., Hyosc., (Delph. Staph.)</i> Vibur. pr.
Paroxysmal	complaints	Lopop.
Parturient		Mitch.
Poisoning	aconite alkali alkaloids, narcotics, or ptomaine with collapse of breathing and circulation atropine or belladonna chloroform narcosis corrosives external, by caustic alkalis irritants narcotic, internal ptomaine rhus	<i>Digit.</i> Lin. usti. <i>Strych. Ign.</i> Piloc. <i>Strych. Ign.</i> Acac. sen. (Ol. Eur.) Lin. usti., Acac. sen., Ulm. f., Hord. (Brass. n.) Piloc. (Grind. cam.)
Prostration	general irritation of nerve centres, with nervous	Corall. Euony. <i>Caps. + Scutell.</i>
Pulsations	over body, with one-sided sweat- ing	<i>Puls.</i>
Pulse	(see Blood).	
Purgatives		<i>Aloe, Citr. Col., Ipom. Pur.,</i> <i>Podo., Conv. Sca.</i>

GENERAL

Pus	to lessen, or prevent to suppurate	(Calend.) (Lin. usti.)
Quinine	(when it cannot be borne by the stomach may be applied as an ointment over the abdomen, or in groin or armpits) headache or overdose substitutes	Corn. F. Ptel. t., Menis. Can.
Rabies		Scutell.
Recuperation	feeble power of	Rumex cr.
Refrigerents	(see Febrifuges)	Cit. Lim., (<i>Hed.</i>), Vinc. m.
Rheumatism (Acute)	(see also under Extremities). and chronic due to exposure to damp articular and chronic articular; great thirst; pains tearing or stitching, worse on motion and at night arthritic —, gonorrhœal —, with œdema burning pain; frontal head- ache; red papillæ on tongue; small, sharp pulse; pain worse from heat diathesis with sallowness and inactivity; fullness of tis- sues; dull pain and heaviness in right hypochondrium	Aral. rac., Api. gr., (Melal. L.), Larix. Am., Magn. v., Fer. gal., <i>Anag.</i> , Pip. meth., (Laur. n.), Prim. ver., <i>Daph. Mez.</i> Solan. dul. (Gault.) Bry. <i>Colch. aut.</i> (Gault.) Apoc. can. <i>Rhus t.</i> P. do.

GENERAL

Rheumatism (Acute) dry, hot skin ; feverish ; suppression of secretions ; dry, parched mouth ; full hard pulse ; scanty deep-red urine ; restlessness ; stiff swollen joints ; sthenic cases enlarged lymphatic glands or sore throat or mouth ; urine whitish and somewhat opaque
Piloc.

feeble circulation ; cold hands and feet, and vital depression, with
Guaia.

fibrous tissues, tendons, fascae, ligaments, and muscle sheaths, of
Rhus t.
Gels.

inflammatory, and
—, with excessively red and inflamed surfaces ; alkaline urine ; long red tongue, thinly coated white
Cit. Lim.

—, with swollen and painful parts, and dry membranes and skin
Piloc.

intercostal, especially with sweating
Asclep. t.

lameness, stiffness and pain, worse on commencing to move, better on motion
Rhus t.
Rham. F.

muscular
—, with dull, heavy pain, soft skin, and no fever
Brun.

pains, general (Menth. pul.), (Brass. n.)
pain in shoulders and neck to occiput, or with irritative cough
Stict. pul.

puffiness and glistening of parts affected, or of the feet, hands or eyelids ; pulse full
Apoc. can.

GENERAL

Rheumatism (Acute) restlessness, stiffness, paralysis, also if aggravated by warmth or rest
Rhus t.
Bell.

rheumatic fever
— — —, muscular pain ; skin hot but moist ; tensive pain as from contraction
Cimic. rac.

shifting pains, relieved by cold, worse from heat ; depression of spirits
Puls.

shoulders, wrists and fingers, of
Quinine + Caps.

sthenic patients, or inflamed conditions
Verat. v.

subacute, with soreness and stiffness of joints
Piloc.

—, pains induced by damp syphilitic
Rhus t.
Thuja.

tearing, cutting, tensive pains, worse on motion, and in finger joints ; hard pulse ; flushed right cheek ; pain in head from forehead to occiput ; skin dry
Bry.

toes, fingers and muscles, in, of uterus, stomach (pain after taking food) and asthenic plethora
Caul. th.

with cervical and occipital pain
Stict. pul.

worse from warmth of bed
Rhus t.

Rheumatism (Chronic) aged, in the
Con. mac.
Solan. dul.

cold and dampness, from cold extremities, no inflammation
Guaia.

— — —, and lameness
Melil. off.

cold skin and debility
Arn.

general Xanth., Phytol., Api. gr., Meny. tri., Hemid., Cimic. rac. + Phytol. + Guaia.

glandular and syphilitic troubles
Iris v.

GENERAL

Rheumatism (Chronic)	hip, of the kidney complaints, or scrofula long standing, of muscular pains, various relapsing sub-inflammatory, worse by motion especially when located in muscles	All. cep. Chim. umb. Chim. umb. Xanth., Cimic. rac. <i>Gels.</i> , (<i>Gels.</i>), <i>Pisc. Ery.</i> Aven. Bry.
Salt Rheum		Berb. aq.
Scarlatina		<i>Bell.</i> , <i>Rhus t.</i>
Salivation	to check	<i>Bell.</i>
Secretions	deficient salivary, gastric, intestinal and bile, to stimulate suppressed too profuse with difficulty to relieve	Piloc. Xanth., Hydras., <i>Poly. sen.</i> (Brass. n.) <i>Lobel.</i>
Sedatives		<i>Acon.</i> , <i>Cyp. art.</i> , <i>Bell.</i> , <i>Vibur. pr.</i> , <i>Corall.</i> , <i>Digit.</i> , <i>Con. mac.</i> , <i>Hyosc.</i> , <i>Pisc. Ery.</i> , <i>Cer. gr.</i> , <i>Passif.</i> , <i>Prun. ser.</i> , <i>Salix nig.</i> , <i>Valer.</i> , <i>Humul.</i>
	cardiac — and nervous	<i>Lobel.</i> <i>Lyco. v.</i>
Sepsis	enfeebled circulation, with tendency to	<i>Bapt.</i> <i>Bry.</i>
Septicæmia	shivering, high temperature, weak, rapid pulse	<i>Echin.</i>
Scurvy	tender, spongy gums; poor appetite; diarrhoea; abdominal distention	<i>Rhus gl.</i>

GENERAL

Scrofulous Complaints	all forms especially eyes, nose, ears and throat especially in children especially with urinary complaints hard lumps in neck, abscesses and ulcers strumous affections with yellowish skin with glandular swellings — — —, hard — — —, soft	Helian. can., <i>Daph. Mez.</i> , Chim. umb. Helian. can. Iodine, <i>Echin.</i> Chim. umb. Helian. can. <i>Echin.</i> , <i>Scroph. n.</i> Dicen., <i>Rumex cr.</i> , <i>Still.</i> , <i>Solan. dul.</i> , Berb. aq. <i>Aln. ser.</i> <i>Phytol.</i> <i>Iris v.</i>
Shock	threatened	<i>Strych. Ign.</i>
Snake	bites, and other insects (Plant. m.) + Plant. m., <i>Alchem. v.</i> , <i>Hier.</i> , <i>Echin.</i>	
Spasms	muscular tubular and sphincteric vasomotor	<i>Piloc.</i> , <i>Melal. Hyosc.</i> <i>Cer. gr.</i>
Sthenic Conditions	(strong or acute)	<i>Verat. v.</i> , <i>Hyosc.</i> , <i>Piloc.</i>
Stimulants		<i>Dor. Am.</i> , <i>Sang.</i> , <i>Crot. El.</i> , <i>Caps.</i> , <i>Cinn.</i> , <i>Zey.</i> , <i>Eug. cary.</i> , <i>Zing.</i> , <i>Cochl. a.</i> , <i>Piloc.</i> , <i>Cola v.</i> , <i>Brass. n.</i> , <i>Nux Vom.</i> , <i>Ilex Par.</i> , <i>Menth. pul.</i> , <i>Menth. pip.</i> , <i>Myrox. P.</i> , <i>Pop. tre.</i> , <i>Xanth.</i> , <i>Arist. serp.</i> , <i>Gault.</i>
Stings		<i>Echin.</i> , <i>Plant. m.</i> , <i>Trill.</i> , <i>Hier.</i>

GENERAL

Stomachics	Pim. off., Geum, Acor. C., Eryth. Cen., Anth. n., Mars. Con., Pip. cub., Menth. pip., Pic. ex., Alet.
Strangury	Senec. aur.
Substitutes	opium <i>Hyosc., Pisc. Ery.</i> quinine <i>Ptel. t., Menis. can.</i>
Sudorifics	(see Diaphoretics). especially with sthenic patients <i>Piloc., Arist. serp.</i>
Suppuration	<i>Echin., (Calend.)</i>
Swellings	(see also under Skin). enlargements, and, red and glistening <i>Rhus t., (Senec. Jac. (poult.))</i> inflammatory <i>(Bor. (poult.))</i> white and others, to check <i>Dor. Am.</i>
Sympathetic Nervous System	sedative <i>Lyc. v.</i> — and stimulant <i>Acon.</i> stimulant <i>Lobel., Verat. v. (s.d.)</i>
Synovial	inflammation and swelling <i>Bry., Acon., (Arn.)</i>
Taenifuges	<i>Mall., Hag., Dry.</i>
Tension	high muscular and nervous <i>Gels.</i>
Tetanus	idiopathic, from indigestion <i>Gels.</i> lips drawn back and jaws locked together <i>Ol. Caps. + Ol. Lobel. + (Ol. Caps. + Ol. Lobel.)</i> stiffness of muscles of mouth and jaw, difficulty of swallow- ing <i>Gels., Lobel., Phys. ven., Hyosc., Bell., Passif., Acon., Ignat., Solan. Car.</i> when mouth opened <i>Passif. + Gels.</i>
Throbbing	of body <i>Hyper.</i>

Tissues

all glandular, to increase flesh
and build up strength
catarrhal outpouring and erosion
of
coldness, tenderness, lameness
and marked soreness of
fullness of, with tendency to
œdema
— —, with full veins and
arterial flow
— —, superficial veins with
oppressed full pulse, of
— —, with dusky, leaden,
purplish or livid discoloration,
tendency to ulceration, and
decay
full not shrunken, and surface
flushed with blood
feeble, with tardy removal of
broken-down material and
slow reconstruction
mucous, relaxed with profuse
debilitating discharges
pale and œdematous, with
scanty or irregular flow of
urine, and indisposition to
exertion
relaxed, flabby, with hyper-
secretion
—, with weak pulse and sub-
normal temperature
—, muscles tired and painful,
joints stiff, in aged
—, with profuse secretions of
thick, tenacious or yellowish
or greenish-yellowish muco-
pus
relaxation and atony of, with
free discharge
serous, inflamed

GENERAL

Seren. ser.
Berb. aq.
Melil. off.
Solan. dul.
Lobel.
Podo.
Bapt.
Verat. v.
Still.
Geran. mac.
Pip. meth.
Myric. cer.
Corn. F.
Caps.
Hydras.
Achill.
Asclep. t.

GENERAL

Tobacco	habit, to overcome nervous, highly strung condition, from abuse of substitute	Ol. Sassa., Cola v. Chrys. Par. + <i>Cer. gr.</i> Tuss. Far.
Tonics		Alst. con., Berb. v., Apoc. and., Meny. tri., Jateor., Anth. n., <i>Swert. Ch.</i> , Eryth. Cen., Turn. aph., Gent., Cop. tri., Humul., Cola v., <i>Nux Vom.</i> , Myrox. P., Chim. umb., Pop. tre., Xanth., Pic. ex., <i>Stroph.</i> , Dicen., Cham. lut. Prun. ser., Art. Abs.
	alterative, and	Dicen.
	—, and astringent	Agrim.
	asthmatic breathing, etc.	Ptel. t.
	astringency, without	Cop. tri.
	blood purifier especially with torpid liver and after malarial fever, and	Berb. aq.
	convalescence from acute diseases	Verben.
	— — — exhausting diseases	Osmunda.
	dyspeptic and weak stomachs, for	Euony.
	—, and scrofulous	Aln. ser.
	scrofulous and cachetic affections	Meny. tri.
	very pleasant for many affections	Chrys. Par.
	weak conditions arising from losses of body fluids and hæmorrhage, milk, mucus, seminal, etc.	Cinch.
Tuberculosis		All. sat., <i>Con. mac.</i> , Chim. umb.
	of spine and mesenteric glands	Phytol.
Tumours	(see also Cancer). fungoid	(Sang.)

GENERAL

Tumours	inflamed	(Bapt.)
	malignant	<i>Nux Vom.</i> , Bapt., Echin., Iris v., Phytol., Glech., (Glech.), (Phytol.), (Symph. (<i>poult.</i>)), (Hamam.), (Hydras.), (Calend.), (Sang.), (Eucalyp.)
Twitchings	muscular	Matric.
Ulcers and Ulcerations	(see also under Stomach, Eye, Nose, Mouth, Abdomen, Genitalia, Respiration, Extremities, and Skin).	
	aphthous	(Cop. tri.)
	—, of mouth	Acac. C.
	cancerous	(Trif.) + Trif.
	—, to remove odour	(Fic. Car. (<i>poult.</i>))
	gastric	<i>Con. mac.</i> , Hydras.
	general	(Senec. Jac.), (Aesc. H.)
	indolent, old, and chronic	(Grind. cam.)
	—, or offensive	(Salix nig.), (Trill.)
	—, and malignant	(Xanth.)
	—, and scrofulous	(Myric. cer. + Sang. (<i>poult.</i>))
	malignant and putrescent	Echin., Bapt.
	nose, throat, tongue, stomach, skin, etc., varicose ulcers and on mouth	Phytol., (Phytol.)
	red glistening margins, with	<i>Rhus t.</i>
Veins	congested or sluggish, with enfeebled circulation	Hamam., (Hamam.)
	varicose	(Hamam.)
	— chronic	Calend., (Calend.)
	— inflamed and swollen	<i>Bell.</i> , <i>Acon.</i> , Hamam. + <i>Acon.</i>
	— right shoulder, due to engorgement of liver; skin dirty; dingy-looking, of	Chel. m.

GENERAL

Veins	varicose, of legs, due to engorgement of spleen, with sallow facies, nausea, uneasiness in abdomen with distention — ulcers	Card. m. Phytol.
Wasting	of the body	Aln. ser.
Weeping	with despondency, fear, unrest, and irritability	Puls.
Weakness	(see also under Mind, Stomach, and Abdomen). debility, and pale surface and deficient recuperative power, with perspires freely upon slightest movement, and	Aven. Cinch. Bry.
Weight	any condition of, or constriction with or without heat increase, to	Collins. Luc.
Worms	(see also Taenifuges). in children	Spig.
Wounds	(see also under Skin). antiseptic, to promote healing bleeding —, small general punctured — and inflamed	(Calend.) (Plant. m.) Lysim. Echin., (Senec. Jac.) (Hyper.) Chel. m.

SPECIFICS AND HIGHLY RECOMMENDED REMEDIES

(Specifics may be defined as those herbs which will produce a certain cure in a particular disorder. Others, although not quite so effective, are highly recommended by the best authorities after long experience in their use.)

Mind	debility in women — scrofulous nervous excitement, to allay — exhaustion — irritability	Alet. Chim. umb. Aqua Camph. Puls. Gels. + Nep. Cat.
Head	pains, nervous menstrual sunstroke and exhaustion from heat	Cer. gr. Menth. pul.
Eye	obstinate conjunctivitis with vascularity of eyelids	(Hamam).
Mouth	offensive breath spongy bleeding gums ulcerated mouth and throat	Cary. Pot. rep. Pot. rep.
Stomach	alcoholic dyspepsia with ulceration (use decoction) alcohol, to destroy appetite for, (use decoction) gastric surfaces, irritation or congestion of indigestion, flatulence and colic mucous tissues, disorders of	Cop. tri. + Hydras. + Ac. Sulph. Arom. Cop. tri. + Hydras. + Ac. Sulph. Arom. Prun. Per. Drim. Win. Erech.

REMEDIES

Abdomen	colic in children	Nep. Cat. + Diosc.
	— flatulent and bilious mucous tissues of bowels, dis- orders of	Corall. + Diosc. Erech.
Liver	all functional diseases of hepatitis, chronic torpid conditions of	Lept. Podo. Sang.
Spleen	enlarged	Silph. per.
Rectum	colitis and other intestinal dis- orders	Jugl. cin.
	constipation due to inactivity of liver	Euony. Solan. ins. (Thuja.)
	— habitual	Aegle.
	condylomata, to remove diarrhœa	Polyg. er. or Erech.
	— children's summer — infant's dysentery flatus in adults and children	Rheum. r. Cyn. off.
hæmorrhage from bowels	Asclep. t. + Diosc. Amar.	
Urinary	all disorders especially with lithic acid gravel	Epig.
	chronic affections with excessive uric acid present	Eupat. pur. Eucalyp.
	cystitis	Eug. Jam. or Lyco. v.
	diabetes	Agrim.
	dropsy	Cyt. sco.
	— to increase flow of urine	Scol.
	gravelly deposits, to remove	Hydrang.
	— — to prevent	
	incontinence in children and old persons	Rhus. arom.
	passages, disorders of suppression of urine with gravelly deposits	Hyper.
urine, purulent decomposition of	Gal. ap. Zea May.	

REMEDIES

Genitalia	all chronic uterine diseases	Caul. th.
	amenorrhœa, not connected with some structural lesion	Senec. aur. + Asar. can. + Junip. sab.
	chronic discharges of blood	Croc. sat.
	deobstruent	Podo.
	gleet and gonorrhœa	Agrim.
	leucorrhœa and menorrhagia	Uva. U.
	lochia, suppressed	Leon.
	menstruation, obstructed, caused by sudden chill or cold	Menth. pul.
	menstruation, obstructed	Cimic. rac.
	— suppressed	Senec. aur. + Sang.
	menorrhagia	Amar.
	prostatorrhœa resulting from masturbation	Delph. con.
reproductive organs of females, disorders of	Helon.	
spermatorrhœa, nocturnal emis- sions	Salix. nig.	
syphilitic affections	Still.	
Respiration	asthma, paroxysmal	Euph. pil.
	bronchial and pulmonary com- plaints	Lobel. + Stict. pul.
	colds and coughs	Marr. v.
	hiccup, obstinate	Cit. lim.
	mucous tissues of lungs, dis- orders of	Erech.
phthisis with night sweats	Chrys. L.	
whooping cough	Trif.	
Chest	heart, palpitation, angina pec- toris	Cer. gr.
	— valvular disease	Conv. m.
Extremities	pains in joints, gouty and sciatic	Aego. + (Aego.)
	rickets	Osm. + Scutell.
	ulcers on legs, indolent	Stell. m.

REMEDIES

Skin	eczema	Bet. alb.
	psoriasis, lichen, cancer and scrofula, especially if combined with strumous diathesis	Gal. Ap. + (Gal. Ap.)
Fever	all (except the congestive form)	<i>Gels.</i>
	general typhoid	Eupat. per. Uva. U.
General	blood purifier	Arct. L.
	chorea	Cimic. rac. + Scutell. + Verben.
	cramps, convulsions and spasms	Vibur. Op
	of all kinds	Pop. tre.
	emaciation and debility	(Eucalyp.)
	growths, cancerous	Teuc. sco.
	inflammatory disorders, all	Eupat. per.
	influenza	Scut. lat.
	nervous system, any disorder of	<i>Lobel.</i>
	relaxation of system, all cases to acquire	Brun.
	rheumatism and gout	Meny. tri.
	— chronic	Hamam.
venous system, all cases of	Chel. gl.	
debility of	Art. c.	
worms, in children	Punic.	
— round	(Calend.)	
— tape		
wounds, lacerated or surgical		

CONTRA-INDICATIONS

These herbs are contra-indicated in the following conditions :—

<i>Acon.</i>	Typhoid fever ; great depression of the vital force ; septic peritonitis ; paralytic and chlorotic affections.
<i>Adon.</i>	Gastro-intestinal irritation or inflammation.
All. sat.	Marked irritation or inflammation.
Aloe.	Pregnancy, gastro-enteritis, inflamed hæmorrhoids, females liable to sudden uterine evacuations, persons of irritable and plethoric habits.
<i>Anam.</i>	Abraded surfaces.
Asafet.	Inflammatory conditions.
Asar. Can.	Inflammatory conditions.
Aven.	Diabetes or amylaceous dyspepsia.
Bapt.	Hyperæmia.
Baros.	Acute disorders.
<i>Bell.</i>	Paraplegia without irritation, reflex paraplegia, white softening.
Cass.	Inflammatory conditions of alimentary canal, hæmorrhoids, prolapsus ani.
<i>Cer. gr.</i>	Inflammatory affections during acute stages.
<i>Citr. Col.</i>	Gastro-intestinal inflammation, great debility, or aged persons.
Coff.	All inflammatory affections of a high grade.
Commi. Myr.	Acute inflammatory conditions.
<i>Cop. L.</i>	Acute inflammatory gonorrhœa with pronounced urethral irritation and profuse secretion.

CONTRA-INDICATIONS

<i>Digit.</i>	Aortic regurgitation, fatty degeneration of heart, cardiac diseases of the aged, excessive dilatation of the heart, persistent conditions of a manifest hyposthenia, aneurism, atheromatous or other structural changes in the arteries, myocarditis with sclerosis of coronary arteries, sinus arrhythmia.
Eryth. Coc.	Repeated attacks of hysteria and chorea.
Eucalyp.	Acute desquamative nephritis.
Euph. cor. (<i>Amer.</i>)	Acute gastro-inflammation.
Fab. Imb.	Chronic nephritis.
Gal. Ap.	Diseases of passive character.
<i>Gels.</i>	Congested fever where great muscular or nervous prostration with relaxation exists, determination of blood to brain or other important viscus, fevers with cardiac weakness or degeneration, prostration of debility.
Gent.	Gastric irritation or inflammation.
Guaia.	General plethora or gastric enteritis.
<i>Crot. Tig.</i>	Hæmorrhoids, intestinal or renal inflammation, peritonitis. To children, feeble or pregnant.
Ipom. Pur.	Intestinal inflammation.
Jateor.	Acute fevers, acute gastric inflammation, impaired digestion but good appetite.
Junip. com.	Active nephritis.
<i>Junip. sab.</i>	General or local inflammation during pregnancy.
Lin. usti.	Open or abraded surfaces.
<i>Lobel.</i>	As emetic to children and old people.
Myric. cer.	During highly inflammatory conditions.
Myrox. P.	Inflammatory or febrile conditions.
<i>Nux Vom.</i>	For long periods, recent cases of paralysis, while general reaction prevails, local irritation in brain or spinal cord, determination of blood to head, when congestion or inflammation are present.

CONTRA-INDICATIONS

Ol. Tereb. R.	Renal inflammation or irritation.
Piloc.	Atonic or debilitated subjects, dropsy of cardiac origin, chronic nephritis after middle life, weak conditions of the heart.
<i>Pisc. Ery.</i>	To children and aged.
Rheum.	Severe febrile or inflammatory affections.
Rhus arom.	Inflammations in any disorder.
Ruta gr.	During pregnancy.
<i>Scill.</i>	Dry, hot skin, rapid circulation, pyrosis, or any symptoms of renal irritation.
Selin. P. (<i>Amer.</i>)	Abdominal obstruction or exalted sensibility of genital apparatus.
Serp.	Acute fever, or severe inflammation.
<i>Stroph.</i>	Cardiac muscular degeneration or mechanical defects, aneurism, fully and over-compensated heart, advanced myocardial degeneration, well-developed atheroma, arterio-sclerosis.
<i>Strych. Ign.</i>	Paralysis with remaining symptoms of congestion, myelitis or spinal meningitis, headache with vertigo and ringing noises in ears.
Tarax.	Weak digestive organs, irritable or acute inflammatory condition of stomach or bowels.

SYNONYMS, COMMON, OR LOCAL NAMES OF HERBS

Abelmoschus moschatus.—Muskweed, Hibiscus Abelmoschus.

Abies Canadensis.—Hemlock Spruce, Hemlock Bark, Pinus Bark, Pinus Canadensis, Tsuga Canadensis.

Abrus precatorius.—Wild or Indian Liquorice, Jequirity.

Acacia Catechu.—Catechu Acacia, Black Catechu, Cutch.

Acacia Senegal.—Gum Acacia.

Acer rubrum.—Red or Swamp Maple, Soft Maple.

Achillea millefolium.—Yarrow, Milfoil, Thousand-leaf, Sweet Maudlin, Nosebleed, Schaafgarbe (Ger.).

Aconitum Napellus.—Monkshood, Wolfsbane, Aconite, Eisenhut (Ger.).

Acorus Calamus.—Calamus, Sweet flag, Sweet Sedge, Kalmus (Ger.).

Actaea racemosa.—Black Snakeroot, Rattleweed or root, Bugwort, Bugbane, Squawroot, Black Cohosh, Macrotys actaeoides, Cimicifuga racemosa.

Adhatoda Vasica.—Adatodai, Arusa, Adulsa, Bakas, Malabar-nut, Justicia Adhatoda.

Adiantum Capillus-Veneris.—Maidenhair.

Adonis vernalis.—Pheasant's-eye, False Hellebore, Adonis, Adonis annua.

Aegle Marmelos.—Indian Bael or Bel, Bengal Quince.

Aegopodium podagraria.—Bishop's-weed, Goutweed, Ash-weed, Ground Ash, Herb-Gerarde.

Aesulus Hippocastanum.—Horse-chestnut, Gemeine Wildkastanie (Ger.).

Aethusa cynapium.—Fool's or Dog Parsley, Dog poison.

Agrimonia Eupatoria.—Agrimony, Stickwort, Odermennig (Ger.).

Agropyrum repens.—Couch, Twitch or Quick Grass, Triticum repens.

Ailanthus glandulosa.—Chinese Sumach, Tree-of-Heaven, Tree-of-the-Gods, Ailanto.

Ajuga Chamoepitys.—European Ground Pine, Zwerggamander (Ger.).

Ajuga reptans.—Bugle, Bugula, Common Bugle, Gout Ivy.

Alchemilla arvensis.—Parsley Piert, Parsley Breakstone, Field Lady's Mantle.

Alchemilla vulgaris.—Lion's-foot, Common Lady's Mantle.

Aletris farinosa.—True Unicorn root. Blazing Star, Star Grass, Colic root. Ague root, Crow-corn.

Alisma plantago-aquatica.—Water Plantain, Mad-Dog weed, Gemeiner Froschloffel (Ger.).

Alkanna tinctoria.—Alkanet, Dyer's Bugloss, Spanish Bugloss, Anchusa, Orchanet, Enchusa, Lithospermum tinctorium.

Allium Cepa.—Onion, Zwiebel (Ger.).

- Allium sativum.**—Garlic, Knoblauch (Ger.). **Alnus glutinosa.**—English Alder.
- Alnus rubra.**—Common or Tag. Alder, Red or Smooth Alder, *A. serrulata*, Rothe Erie (Ger.).
- Aloe Chinensis.**—Aloe, Spiked Aloe, *A. Spicata*, *A. Perryi*, *A. vera*, *A. ferox*.
- Aloysia citriodora.**—Lemon-scented Verbena, Herb-Louisa, *Verbena triphylla*, *Lippia triphylla*.
- Alpinia officinarum.**—Galangal, Galanga, East India Root. **Alsidium Helminthocorton.**—Corsican Moss.
- Alstonia constricta.**—Native Quinine of Australia, Australian Fever Bark or Febrifuge.
- Althaea officinalis.**—Marsh-mallow, Mallards, Guimauve, Schloss Tea, Mortification root, Eibisch (Ger.).
- Althaea rosea.**—Common or Garden Holly-hock.
- Amaranthus hypochondriacus.**—Amaranth, Red Cock's-comb, Love-lies-bleeding, Flower Gentle, Flower velure, Flormor. Velvet Flower.
- Anacyclus Pyrethrum.**—Pellitory root, Pellitory-of-Spain, *Anthemis pyrethrum*, *Matricaria pyrethrum*.
- Anagallis arvensis.**—Red Chickenweed, Red or Scarlet Pimpernel, Shepherd's Barometer, Poor Man's Weatherglass.
- Anamirta cocculus or paniculata.**—Fish-berries, Indian or Levant berries, *Cocculus indicus*.
- Andira Araroba.**—Araroba, Bahia or Brazil Powder, Goa, Ringworm powder, Chrysarobine.
- Andira inermis.**—Cabbage-tree Bark, Work Bark, Jamaica or Yellow Cabbage-tree, *Geoffoeya inermis*, Kohlbaumrinde (Ger.).
- Anemone hepatica.**—American Liverwort, Kidney-wort, Liver-leaf.
- Anemone pulsatilla.**—Pasque or Passe flower. Meadow anemone, Easter flower.
- Anethum graveolens.**—Dill fruit or seed.
- Angelica Archangelica.**—European Garden Angelica.
- Anisa stellata.**—Star-anise, Chinese Anise, Badiana.
- Antennaria dioica.**—Cat's-foot, Life-everlasting, *Gnaphalium dioicum*.
- Anthemis Cotula.**—Stinking Mayweed, Wild or Dog Chamomile, *Cotula*, Dog Fennel.
- Anthemis nobilis.**—Roman Chamomile, Double Chamomile, Edie Kamillen (Ger.).
- Anthemis Pyrethrum.**—See *Anacyclus pyrethrum*.
- Anthroxanthum odoratum.**—Sweet Vernal-grass. *Apium graveolens.*—Wild Celery, Smallage.
- Apium petroselinum.**—Parsley.
- Apocynum Androsaemifolium.**—Bitter-root, Dog's-bane, Milkweed.
- Apocynum cannabinum.**—Indian or Canadian Hemp, *A. pubescens*.
- Aralia nudicaulis.**—Small Spikenard, American, Wild or False Sarsaparilla, Bamboo Brier.

Aralia quinquefolia.—Ginseng.

Aralia racemosa.—American or Indian Spikenard, Spignet, Petty Morrel.

Arctium Lappa.—Burdock, Lappa, Thorny Burr, Lappa minor, Klette (Ger.).

Areca Catechu.—Areca or Betel nut.

Arillus myristicae.—Mace.

Aristolochia longa.—Birthwort, A. dematitis.

Aristolochia Serpentaria.—Virginian, Red River or Texas Snakeroot, Dutchman's Pipe, Snakeweed, A. reticulata.

Arnica montana.—Leopard's bane. Arnica, Wohlverlei (Ger.).

Artanthe elongata.—See Piper angustifolium.

Artemisia Abrotanum.—Southernwood, Old Man, Lad's love.

Artemisia Absinthium.—Wormwood, Old Woman, Ajenjo, Wermuth (Ger.).

Artemisia Cina.—Santonica, Semen cinae. Semen sanctum, Semen contra. Semen Santonici, Vermes Levant wormwood.

Artemisia vulgaris.—Mugwort, Felon herb.

Arum maculatum.—Cuckoo-pintle, Starchwort, Ramp, Lords-and-Ladies, Priest's-pintle, Calves-foot, Wake-Robin.

Arum triphyllum.—Dragonroot, Wild Turnip, Indian Turnip, American Wake-Robin, Jack-in-the-pulpit, Arisaema triphyllum.

Asafetida.—Ferula foetida, Teufeldreck (Ger.).

Asarum Canadense.—Wild or Indian Ginger, Canadian Coltsfoot, Haselwurz (Ger.).

Asarum Europaeum.—Hazelwort, Wild Nard, Asarabacca.

Asclepias incarnata.—Swamp Milk-weed, Swamp Silk-weed, Rose-coloured Silkweed, Flesh-coloured Asclepias, White Indian Hemp.

Asclepias procera.—Mudar Bark, Calotropis.

Asclepias tuberosa.—Pleurisy-root, Butterfly-weed, Swallow-wort, Windroot, Tuber Rot.

Asparagus officinalis.—Asparagus, Spargel (Ger.). Asperula odorata.—Woodruff, Woodroof, Waldmeister Tea.

Aspidium Filix-mas.—Male-fern, Male Shield fem, Dryopteris Filix-mas, Farrenkraut (Ger.).

Aspidosperma Quebracho-blanco.—Quebracho. Astragalus gummifer.—Syrian Tragacanth, A. verus.

Atropa Belladonna.—Belladonna, Deadly Nightshade, Dwale, Black Cherry, Tollkraut (Ger.).

Avena farina, or sativa.—Oatmeal. Ballota nigra.—Black Horehound, Marrubium nigrum.

Baptisia tinctoria.—False or Wild Indigo, House-fly-weed, Rattlebush, Indigoweed, Sophora tinctoria, Podalyria tinctoria.

Barosma betulina.—Buchu, B. crenata, Diosma cre.na.ta. Belladonna.—See Atropa Belladonna.

Berberis aquifolium.—Mountain or Oregon Grape, Holly-leaved Berberry.

Berberis aristata.—Berberis, Mahonia.

Berberis vulgaris.—Barberry, Barbaridis, Pipperidge-bush. B. dumetorum.

Betonica officinalis.—Wood Betony, Bishopswort. Betula alba.—European or White Birch.

Bidens tripartita.—Burr Marigold, Water or Bastard Agrimony, Water or Bastard Hemp.

Borage officinalis.—Borage, Burrage. Brassica nigra.—Mustard, Sinapis nigra.

Brunifelsia Hopeana.—Manaca, Franciscea uniflora.

Bryonia alba, or dioica.—Bryonia, English Mandrake, White Bryony, Wild Vine, Mandragora, Ladies' seal.

Buxus sempervirens.—Common Box, Buchsbaum (Ger.).

Calaminta officinalis.—Calamint, Basil Thyme.

Calendula officinalis.—Garden Marigold, Marygold, Caltha officinalis, Ringelblume (Ger.).

Calotropis procera.—Calotropis, Mudar Bark, Asclepias procera.

Camphora officinalis.—Camphor, Laurel Camphor, Cinnamomum Camphora.

Canella alba.—Canella, White Cinnamon, West Indian Cinnamon, Weisse Kaneelrinde (Ger.).

Cannabis Indica, or sativa.—Hemp, Gnaza, Ganjah, Bhang, Dagga, Hanf (Ger.).

Capsella Bursa-pastoris.—Shepherd's purse or sprout,

Toywort, Shepherd's script or pounce. Mother's Heart, Pick-pocket, Pickpurse, Casewort.

Capsicum mininum.—Cayenne Pepper, African, Guinea or Bird Pepper, Chillies, C. annum, C. fastigiatum.

Carbenia benedicta.—Holy Thistle, Cnicus benedictus.

Carduus benedictus.—Blessed Thistle.

Carduus Marianus.—Milk Thistle.

Carica Papaya.—False Cyperus.

Carthamus tinctorius.—Dyer's Saffron, American, False or Bastard Saffron, Safflower, Flores Carthami, Saflor (Ger.).

Carum Carvi.—Caraway, Alcaravea, Kummel (Ger.).

Carum petroselinum.—Parsley, Apium petroselinum, Petroselinum sativum.

Caryophyllus aromaticus.—Cloves, Clavos, Eugenia caryophyllata, Eugenia aromatica, Gewurzelken (Ger.).

Cascara Sagrada.—Sacred Bark, Chitem Bark.

Cassia acutifolia.—Senna, Alexandrian Senna, East Indian or Tinnevelly Senna, C. angusti folio..

Castanea vulgaris or sativa.—Chestnut, C. dentata, C. vesca.

Caulophyllum thalictroides.—Blue Cohosh, Pappoose root, Squawroot, Leontice thalictroides, Weisenrauten Stamm-blatt (Ger.).

Ceanothus Americanus.—Mountain Sweet Californian Lily, Wild Snow-ball, Red Root, Jersey Tea Root.

Celastrus scandens.—American Bitter-sweet, Waxwork, Staff-vine, False Bitter-sweet, Climbing Staff-tree.

Centaurea Cyanus.—Cornflower, Bluebottle, Bluebow, Cyanus, Hurtsickle.

Centaurea nigra.—Black Knapweed, Black Ray Thistle, Hardback, Ironweed.

Cerasus serotina.—Wild Cherry, Virginian Prune, Wilde Kirsche (Ger.).

Ceratonia siliqua.—John's Bread, St. John's Bread.

Cereus grandiflorus.—See Cactus grandiflorus.

Cetraria Islandica.—Iceland Moss, Iceland Lichen, Islandisches Moos (Ger.).

Chamaelirium luteum.—False Unicorn Root, Star-wort, Helonias.

Chelidonium majus.—Great, Greater or Garden Celandine, Swallow-wort, Tetterwort, Grosses Schollkraut (Ger.).

Chelone glabra.—Balmony, Bitter-herb, Snakehead, Turtle-head, Turtlebloom, Salt-rheum Weed, Glatte Chelone (Ger.).

Chenopodium anthelminticum.—Wormseed, Jerusalem Oak, C. ambrosioides.

Chenopodium olidum.—Stinking Arrach, Stinking Motherwort, Dog's or Goat's arrach. Wild Arrach, Goosefoot, Vulvaria.

Chimaphila umbellata.—Pipsissewa, Prince's Pine, Ground-holly, Wintergreen, Pyrola umbellata.

Chionanthus Virginica.—Fringetree, Old Man's Beard, Snowdrop tree. Poison Ash, Virginische Schneeblume (Ger.).

Chondrus crispus.—Irish Moss, Carrageen, Carrageen, Caragahen, Irlandisches Perlmoos (Ger.).

Chondrodendron tomentosum.—Pareira, Pareira brava.

Chrysanthemum cinerariaefolium.—Insect Powder or Flowers, C. Roseum, Pyrethrum dalmatian, Pyrethrum roseum, Pyrethrum persian.

Chrysanthemum Leucanthemum.—White Daisy, Ox-eye Daisy, Field Daisy, Moon Daisy, Maudlin Daisy, Great Ox-eye, White weed, Goldens, Dog Daisy, Horsegowan, Marguerite, Leucanthemum vulgare, Shasta Daisy.

Chrysanthemum Parthenium.—Feverfew, Featherfew, Feather-foil.

Cichorium Intybus.—Succory, Wild Succory, Chicory, Gemeine Cichorie (Ger.).

Cimicifuga racemosa.—See Actea racemosa.

Cinchona Calisaya.—Peruvian or Cinchona Bark, Jesuit's Bark.

Cinnamomum Camphora.—See Camphora officinarum.

Cinnamomum Cassia.—Cassia, Chinese Cinnamon, Cassia bark, Cassia lignea.

Cinnamomum Zeylanicum.—Cinnamon, Zimmt (Ger.).

Citrullus Colocynthis.—Bitter Apple, Colocynth Pulp, Bitter Cucumber.

Citrus Limonum.—Lemon, Limon, C. medico,.

Citrus vulgaris.—Bitter Orange, Seville Orange, Bigarade Orange, Naranja, C. aurantium.

Cladonia pyxidata.—Cup Moss.

Claviceps purpurea.—Ergot, Ergot-of-Rye, Smut-of-Rye, Spurred Rye.

Cochlearia armoracia.—Horseradish, Meerrettig (Ger.).

Cochlearia officinalis.—Spoonwort, Scurvygrass.

Coffea Arabica.—Coffee, Canea, Kaffe (Ger.).

Cola Vera.—Kola or Guru nut. Cola, Sterculia acuminata.

Colchicum autumnale.—Colchicum, Meadow Saffron, Naked Ladies, Naked Boys, Autumn Crocus.

Collinsonia Canadensis.—Collin's flower, Collinsonia, Rich Leaf, Knobroot, Knobweed, Horse-balm, Stoneroot, Ox-balm.

Combretum Sundaicum.—Combretum, Opium antidote.

Commiphora Myrrha.—Myrrh.

Conium maculatum.—Poison-Hemlock, Poison-Parsley, Conium, Spotted Hemlock, Gefleckter Schierling (Ger.).

Convallaria majalis.—Lily-of-the-Valley, May Lily, Convallily, Male Lily, Lily Constancy.

Convolvulus Scammonia.—Scammony, Scammomium (Ger.).

Copaifera Langsdorffii.—Copaiva-tree, Copaiva, Capivi, Balsam Copaiva, Balsam Capivi, C. officinalis.

Coptis trifolia.—Goldthread, Mouth root. Vegetable Gold.

Corallorhiza odontorhiza.—Crawley, Coralroot, Dragon's-claw, Chicken-toe, Gezahnte Korrallenwurzel (Ger.).

Coriandrum sativum.—Coriander, Gemeine Koriander (Ger.).

Cornus Florida.—American Dog-wood, Dog-tree, Flowering Cornel, Boxwood, Cornelian Cherry.

Cornus sericea.—Swamp Dog-wood, American Red Osier, Red or Rose Willow, Silky Cornel.

Corydalis Canadensis.—Turkey Corn or Pea, Squirrel Corn, Corydalis, Stagger-weed, Dicentra Canadensis, Schone Corydalis (Ger.).

Crataegus Oxycantha.—English Hawthorn, Haw, May, Thorn, Quick.

Crocus sativus.—Saffron Crocus, Alicante Saffron, Hay Saffron, Valentia Saffron, Gatinais Saffron.

Croton Eleuteria.—Cascarilla, Sweet Wood Bark.

Croton Tiglium.—Croton seeds, Tiglium, Tiglium officinale.

Cucurbita Pepo.—Pumpkin.

Curcuma zedoaria.—Zedoary.

Cuscuta epithimum.—Lesser Dodder, Dodder-of-Thyme.

Cusparia febrifuga.—True Angustura, Cusparia bark.

Cynoglossum officinale.—Hound's tongue. Dog's tongue, Grosse Hundzunge (Ger.).

Cyperus articulatus.—Guinea Rush, Adrue, Umbrella Plant, Gelingale.

Cypripedium pubescens.—Yellow Ladies'-slipper, American Valerian, Umbel, Nerve root. Yellow Moccasin-flower, Noah's

Ark, *C. hirsutum*, Weichartiger Venusschuh (Ger.).

Cytisus scoparius.—Common Broom, Besom, He-Broom (no flowers), She-Broom (with flowers), Irish Broom, Besen Bohnenbaum (Ger.).

Daphne Mezereum.—Garland Flower, Mezereon, Spurge Olive, Seidelbast (Ger.).

Datura Stramonium.—Stramonium, Thorn Apple, Stinkweed, Apple-peru, Jamestown weed, Jimson weed, Stechapfel (Ger.), Trumpet Flower.

Daucus Carota.—Wild Carrot, Bird's-nest, Wilde Mohhrube (Ger.).

Delphinium Consolida.—Larkspur, Lark's-claw or heel, Knight's Spur, Feld Ritterspom (Ger.).

Delphinium Staphisagria.—Stavesacre, Starvesacre, Lausekraut (Ger.).

Dicentra Canadensis.—See *Corydalis Canadensis*.

Digitalis purpurea.—Purple Foxglove, Purpurrother Fingerhut (Ger.).

Dioscorea villosa.—Wild Yam, Colic-root, Rheumatism-root.

Dolichos pruriens.—Cowhage, Cowage, Cowitch, *Mucuna pruritus*.

Dorema Ammoniacum.—Persian Gum Ammoniacum.

Dorstenia Contrayerva.—Contrayerva, *D. Houstoni*, *D. opifera*.

Dracontium foetidum.—Skunkcabbage, Spunkweed, Meadow Cabbage, Polecat-weed.

Drimys Winteri.—Wintera, Winter's Bark, Wintera aromatica, Wahre Winter's rinde (Ger.).

Drosera rotundifolia.—Round-leaved Sundew, Dew-plant, Red Rot, Youth-wort.

Dryopteris Filix-mas.—See *Aspidium Filix-mas*.

Echinacea angustifolia.—Black Sampson, Coneflower, Echinacea.

Echium vulgare.—Bugloss, Blueweed, Viper's-Bugloss.

Elettaria Cardamomum.—Cardamoms, Mysore, Cardamom seeds, Malabar Cardamoms.

Embelia Ribes.—Embelia, *E. robusta*.

Ephedra Sinica.—Ma Huang, Ephedra.

Epigaea repens.—Trailing Arbutus, Gravel-plant, Ground Laurel, Mountain-pink, Winter-pink, Mayflower, Gravel-weed.

Epilobium angustifolium.—Rose-bay, Willowherb, French Willow.

Equisetum arvense.—Scouring-rush, Shavegrass, Bottle-brush, Pewterwort, Horse-tail, *E. hyemale*.

Erechtites hieracifolia.—Fireweed, *Senecio hieracifolius*.

Erigeron Canadense.—Canadian Fleabane, Coltstail, Pride-weed, Scabious.

Eriodictyon glutinosum.—Yerba Santa, Mountain Balm, Bearsweed, Consumptive's weed.

Eryngium campestre.—Field Eryngo.

Eryngium maritimum.—Sea Holly.

Erythraea Centaurium.—Centaury, Century, Centory, Feverwort.

Erythraea Chilensis.—Canchalagua.

Erythronium Americanum.—Adder's-tongue, Serpent's-tongue. Dog's tooth Violet, Yellow Snowdrop, Rattlesnake Violet, Yellow Erythronium.

Erythrophleum guineense.—Sassy Bark, Mancona Bark, Casca Bark, Teli.

Erythroxyton Coca.—Coca Bolivian, E. Truxillense.

Eucalyptus globulus.—Blue Gumtree, Australian Gum.

Eugenia aromatica.—Cloves, Clavos, E. caryophyllata.

Eugenia Chequen.—Cheken, Chekan, Chequen, Myrtus Cheken.

Eugenia Jambolana.—Jambul, Jamboo, Java-plum, Jambool.

Euonymus atropurpureus.—Wahoo, Indian Arrow-wood, Bum-ing-bush, Spindletree.

Eupatorium cannabinum.—Hemp Agrimony.

Eupatorium perfoliatum.—Boneset, Thoroughwort, Indian Sage.

Eupatorium purpureum.—Queen-of-the-Meadow Root, Gravel-weed, Gravel-root, Joe-Pie, Trumpetweed.

Euphorbia pilulifera.—Asthma-weed, Catshair, Euphorbia.

Euphrasia officinalis.—Eye-bright.

Fabiana Imbricata.—Piclii, False Heath.

Ferula foetida.—See Asafetida.

Ferula galbaniflua.—Galbanum, Gum Galbanum.

Ferula sumbul.—Musk root, Sumbul, F. suaveolens.

Foeniculum dulce.—Fennel, Hinojo, F. vulgar e.

Fragaria vesca.—Wild Strawberry.

Frankenia grandifolia.—Yerba reuma, Flux Herb.

Frasera Carolinensis.—American Columbo, F. Walteri, F. Canadensis.

Fraxinus excelsior.—Flowering Ash, Common European Ash, Weeping Ash.

Fraxinus Ornus.—Manna, Flake Manna.

Fucus vesiculosus.—Sea-wrack, Kelpware, Seaweed, Bladderfucus, Bladderwrack.

Fumaria officinalis.—Fumitory, Earth Smoke, Erdrauch (Ger.).

Galega officinalis.—Goat's Rue.

Galipea officinalis.—Angustura, G. cusparia, Cusparia febrifuge.

Galium Aparine.—Cleavers, Goose-grass, Hayriff, Erriffe, Goose-share, Burweed, Goose-bill, Catch-weed, Bedstraw, Klebkraut (Ger.).

Galium verum.—Our Lady's Bedstraw, Ladies' Bedstraw, Maid's hair. Cheese Rennet, Gallion, Pettimugget, Wild Rosemary.

- Garrya Fremontii.**—Feverbrush, Skunkbush, California Feverbush.
- Gaultheria procumbens.**—Shallon, Wintergreen, Yeaberry, Boxberry, Mountain Tea, Deerberry, Canada Tea, Partridgeberry.
- Gelsemium sempervirens.**—Yellow Jasmine, Wild Woodbine, *G. nitidum*.
- Genista Tinctoria.**—Dyer's Greenweed, Dyer's weed. Dyer's broom, Woad-waxen.
- Gentiana campestris.**—English Gentian, Baldmoney, Field Gentian.
- Gentiana Lutea.**—Gentian, Gelber Enzian (Ger.), Gentianella.
- Geranium maculatum.**—American Crane's bill-root. Alum-root, Spotted Geranium, Wild Crane's bill. Crowfoot.
- Geum urbanum.**—Avens, Colewort, Herb-Bennet, Herb-Bonnet, *Radix caryophyllata*.
- Gillenia trifoliata.**—Indian Physic, Indian Hippo, Gillenia, Bowman's root, *G. stiputacea*. *Spiraea trifoliata*, *Spiraea stipulacea*.
- Glechoma hederacea.**—Ground Ivy, Alehoof, Haymaids, Catsfoot, Tumhoof, Gill-go-over-the-Ground, Gill-creep-by-ground, Gill-go-by-ground, Robin-run-the-hedge, *Nepeta glechoma*.
- Glycyrrhiza glabra.**—Liquorice, Licorice, Gemeine Sussholz (Ger.).
- Gnaphalium uliginosum.**—Marsh Cud-weed, Cotton-weed, Cottin Dawes, Chaffweed, Dwarf Cotton, Petty Cotton.
- Gossypium herbaceum.**—Cotton root, or plant.
- Gratiola officinalis.**—Hedge-Hyssop.
- Grindelia camporum.**—Grindelia, Gum Plant, Hardy or Scaly Grindelia, *G. squarrosa*, *G. robusta*.
- Guaiacum officinale.**—Guaiacum, Lignum Vitae, Lignum Sanctum, *G. Sanctum*, Frankosenholz (Ger.).
- Guarea Rusbyi.**—Cocillana Bark, *G. trichilioides*. *Sycocarpus Rusbyi*.
- Haematoxylon Campechianum.**—Logwood, Haematoxylon, Blauholz (Ger.).
- Hagenia Abyssinica.**—*Brayera anthelmintica*, Kousso, Cossoo, Cusso.
- Hamamelis Virginiana.**—Witchhazel, Spotted Alder, Winterbloom, Snapping-hazelnut.
- Hedera Helix.**—Common Ivy.
- Helianthemum Canadense.**—Frostweed, Rockrose, Frost Plant, Frostwort, *Cistus Canadensis*, Sun-rose.
- Helianthus annuus.**—Sunflower, Helianthus.
- Helleborus niger.**—Black Hellebore, Bear's foot, Christmas Rose, Herb or Flower, Betterwort, or grass, Lenten Rose.
- Helonias dioica.**—Starwort, Helonias, American False Unicorn Root, Drooping Starwort, Devil's bit, *H. lutea*, *Chamaelirium luteum*, *Chamaelirium carolinarium*, *Vetratum luteum*, *Melanthium dioicum*.
- Hemidesmus indicus.**—Indian or Country Sarsaparilla,

Hemidesmus, Asclepias pseudosarsa, Periploca Indica.

Hepatica triloba.—Kidneywort, Liverleaf, Anemone hepatica.

Herniaria glabra.—Rupturewort.

Hieracium Pilosella.—Mouseear-Hawkweed, Pilosella.

Hippocastanum vulgare.—Horsechestnut, Aesculus Hippocastanum.

Hordeum distichon.—Barley, Pearl Barley, Perlatum.

Humulus Lupulus.—Wild Hops.

Hydrangea arborescens.—Hydrangea, Seven-barks, Wild Hydrangea, Hydrangea vulgaris.

Hydrastis Canadensis.—Golden-seal, Yellow Puccoon, Orange or Yellow root. Ground Raspberry, Turmeric root, Gelbwurzel (Ger.).

Hyoscyamus niger.—Henbane, Hogbean.

Hypericum perforatum.—St. John's wort.

Hyssopus officinalis.—Hyssop.

Ignatia amara.—Bean-of-St. Ignatius, Strychnos Ignatii.

Impatiens aurea.—Jewelweed, Pale Touch-me-not, Balsamweed, I. pallida.

Imperatoria Ostruthium.—Masterwort.

Inula Helenium.—Elecampane, Scabwort, Aunee (Fr.), Alantwurzel (Ger.).

Ipomaea Purga.—American Bellbind, Morning Glory, Jalap, I.

Jalapa, Convolvulus Jalapa, Exogonium purga, Convolvulus purga.

Iris foetidissima.—Gladwin, Stinking Gladwin, Gladwine, Stinking Iris, Gladdon, Roast-beef plant.

Iris lutea.—Yellow Iris, Flower-de-luce, Fleur-de-Lys, Yellow Flag, I. aquatica, I. pseudacorus.

Iris versicolor.—Blue, Water or Poison Flag, Flag Lily, Liver Lily, Snake Lily, Bunte Iris (Ger.).

Jacaranda Caroba.—Caroba, Carob Tree, Caaroba, /. procera, Bignonia Caroba.

Jateorhiza Calumba.—Calumba, Colombo, Cocculus palmatus.

Jeffersonia diphylla.—Twinleaf, Groundsquirrel Pea, Rheumatism root.

Juglans cinerea.—N. American Butternut, White Walnut, Oilnut.

Juglans nigra.—Black Walnut.

Juniperus communis.—Common Juniper, Gemeine Wachholder (Ger.), American ground Cedar.

Juniperus Sabina.—Savin, Savine, Sade Wachholder (Ger.).

Kalmia latifolia.—Sheep-laurel, Lambkill, Spoonwood, Kalmia, Bigleaved Ivy, Calico-bush, Mountain Laurel.

Krameria triandra.—Rhatanha, Peruvian Rhatany, K. argentea.

Lachnanthes tinctoria.—Spiritweed, Red or Paint root. Wool Flower.

Lactuca virosa.—Stinking Lettuce, Strong-scented Lettuce, Lettuce-opium, Stinksalat (Ger.).

Larix Americana.—Tamarac, American Larch, Black Larch, Hackmetack, Pinus pendula.

Larix Europaea.—European Larch, Pinus larix.

Laurus nobilis.—Bay, Sweet Bay, Noble Laurel, Roman Laurel.

Lavandula vera.—Lavender, L. officinalis, L. spica.

Ledum latifolium.—Labrador Tea, Jame's Tea, Marsh Tea, Wild Rosemary, L. palustre.

Leonurus cardiaca.—Motherwort.

Lepigonum rubrum.—Sandwort, Arenaria rubra, Tissa rubra, Buda rubra, Spergularia rubra, Sabline rouge (Fr.).

Leptandra Virginica.—Culver's physic or root. Tall Speedwell, Blackroot, Physic root, Veronica Virg.

Levisticum officinale.—Lovage, Chinese Tang-kui, Man-mu, Ligusticum Levisticum.

Liatris odoratissima.—Deer's tongue. Vanilla Leaf, Wild Vanilla, Trilisia odoratissima.

Liatris spicata.—Button Snakeroot, Gayfeather, Devil's bit.

Ligustrum vulgare.—Privet, Prim.

Lillium tigrinum.—Tiger Lily.

Linaria Elatine.—Fluellin, Sharp-pointed Toadflax.

Linaria vulgaris.—Yellow Toadflax. Flaxweed, Pennywort, Butter and Eggs.

Linum catharticum.—Mountain Flax, Purging Flax.

Linum usitatissimum.—Flaxseed, Linseed, Gemeine Lein (Ger.).

Lippa dulcis.—Mexican Lippia, Yerba dulcis.

Liquidamber orientalis.—Storax, Styrax, Prepared Storex, Liquid Storax, Balsam Styracis.

Liriosma ovata.—Muirapuama.

Lobelia inflata.—Lobelia, Wild or Indian Tobacco, Pukeweed.

Lonicera Caprifolium.—Perfoliate Honeysuckle, Dutch Honeysuckle.

Lopophora Lewinii.—Mescal Buttons, Pellote, Anhalonium Lewinii.

Lucerne.—Alfalfa.

Lycopodium clavatum.—Fir Clubmoss, Vegetable Sulphur, Lycopodium seed. Stag's horn moss.

Lycopus Virginicus.—Bugleweed, Paul's Betony, Water Hoarhound, Sweet Bugle, Water Bugle, American Gipsy-wort.

Lysimachia vulgaris.—Loosestrife, Yellow Loosestrife.

Macrotys actaeoides.—See Cimicifuga racemosa.

Magnolia glauca.—Magnolia, White Bay, Beaver-tree, Sweet Magnolia, Swamp Sassafras, M. virginica, M. acuminata, M. tripetata.

Mallotus Philippinensis.—Kameela, Kamala, Spoonwood, Rottlera tinctoria.

Malva sylvestris.—Common, Blue or High Mallow, Mauks.

Maranta arundinacea.—Arrow-root, Bermuda Arrow-root, Maranta.

Marrubium vulgare.—White Hoarhound, Horehound, Weisse Andom (Ger.).

Marsdenia Condurango.—Condurango, Gnolobus Condurango.

Matricaria Chamomilla.—Wild or German Chamomile, Pin Heads, Single Chamomile.

Melaleuca Leucadendron.—Cajupet, Cajepet, White Tea Tree, Swamp Tea Tree, Broad-leaved Tea Tree, Whitewood, M. Cajutputi.

Melilotus officinalis.—Yellow Melilot Clover, M. vulgaris.

Melissa officinalis.—Balm, Sweet or Lemon Balm.

Menispermum Canadense.—Yellow Parilla, Moonseed, Moonseed Sarsaparilla, Vine-maple, Canadian Moon-seed.

Mentha piperita.—Peppermint, Brandy, Curled or Balm Mint.

Mentha pulegium.—Pennyroyal, European Pennyroyal.

Mentha sativa.—Wild, Marsh or Hairy Mint.

Mentha viridis.—Common, Lamb or Spearmint, Mackerel Mint, Peamint, M. spicata, M. crispa, Yerba Buena.

Menyanthes trifoliata.—Buckbean, Beckbean, Bogbean, Marsh Trefoil, Water Shamrock.

Mitchella repens.—Partridge berry, Checker berry. Winter Clover, Deerberry, Squaw Vine, One-berry.

Monarda punctata.—Bee Balm, Oswego Tea, American Horse-mint, Sweet or Wild Bergamot.

Monsonia ovata.—Monsonia.

Myrica cerifera.—Bayberry, Wax Myrtle, Waxberry.

Myristica fragrans.—Nutmeg, Mace, M. officinalis, Arillus Myristicae.

Myroxylon Pereirae.—Balsam of Peru, Toluifera Pereirae, M. peruiferum.

Myroxylon Toluifera.—Balsam of Tolu, Toluifera Balsamum.

Myrrhis odorata.—Sweet or Smoother Cicely, Sweet Chervil, Mirrha.

Myrtus communis.—Myrtle.

Nectandra Coto.—Coto.

Nepeta Cataria.—Catnip, Catmint, Catnep, Nep.

Nymphaea odorata.—Water Pond Lily, Water Nymph, Water Cabbage.

Ocimum basilicum.—Sweet Basil.

Oenanthe Phellandrium.—Fine-leaved Drop-wort, Water Fennel, Fine-leaved Water Hemlock, Phellandrium aquaticum.

Oenothera biennis.—Tree Primrose, Evening Primrose, Sun-drops, Godetia.

Olea Europaea.—Olive.

Olea Terebinthinae Rect.—Oil or Spirit of Turpentine.

Ophioglossum vulgatum.—English Adder's tongue.

Orchis maculata.—Spotted Orchis, Salep.

Orchis mascula.—Early Purple Orchis, Cuckoo, Salep.

Origanum vulgare.—Origanum, Wild Marjoram, Origane, Grove or Eastward Marjoram.

Osmund regalis.—Buckhorn Brake. **Ozalis acetosella.**—Wood-sorrel, French sorrel.

Paeonia officinalis.—Peony, Pœonia, Piney, Pfingstrose (Ger.).

Panax quinquefolium.—Ginseng, Aralia quinquefolia.

Parietaria officinalis.—Pellitory-of-the-Wall.

Passiflora incarnata.—Passion Flower, Maypops.

Paullinia Cupana.—Guarana, Brazilian Cocoa. Uabano, Uaranazeiro, Paullinia sorbilis.

Pedaliium Murex.—Burra, Gokeroo. Barra Gokhru.

Penthorum sedoides.—Virginian Stone-crop, Ditch stone-crop, Penthorum.

Petasites vulgaris.—Common Butterbur, Tussilago Petasites.

Petroselinum sativum.—Parsley, Apium petroselinum.

Peucedanum graveolens.—Dill seed or fruit, Eneldo, Anethrum graveolens.

Peumus Boldus.—Boldo, Boldu, Boldea fragrans.

Physalis Alkekengi.—Winter Cherry, Alkekengi, Strawberry-

Tomato, Cape Gooseberry.

Physostigma venenosum.—Calabar bean, Ordeal-bean, Chop-nut.

Phytolacca decandra.—Pokeroot, Pigeonberry, Garget, Scape, Coakum.

Picraena excelsa.—Quassia, Lofty Quassia, Bitter-weed, Bitter-ash, Quassia amara, Simaruba excelsia.

Pilocarpus Jaborandi.—Jaborandi.

Pimenta officinalis.—Allspice, Pimento, Jamaica Pepper.

Pimpinella Anisum.—Anise, Aniseed, Anis (Ger.).

Piper angustifolium.—Matico, Artanthe elongata, Stephensia elongata.

Piper cubeba.—Cubeb.

Piper methysticum.—Kava-kava, Ava, Ava Pepper, Kava.

Piper nigrum.—Black Pepper.

Piscidia erythrina.—Jamaica Dogwood.

Plantago major.—Greater Plantain, Ripple Grass, Waybread, Grosser Wegetritt (Ger.).

Plantago ovata.—Fleeseed, Fleawort, Spodel, P. Psyllium, P. Ispaghula.

Podophyllum peltatum.—American Mandrake, Mayapple, Wild-lemon, Raccoonberry, Wild Mandrake.

Polemonium reptans.—American Greek-Valerian, Blue Bells, False Jacob's ladder, Sweatroot, Abscess-root.

Polygala Senega.—Seneka, Senega, Snake-root.

Polygonatum multiflorum.—Solomon's Seal.

Polygonum bistorta.—Bistort, Adderwort, Snake-weed, Passions, Osterick, English Serpentry.

Polygonum erectum.—Russian Knotgrass.

Polygonum Hydropiper.—Water Pepper, *P. punctatum*.

Polymnia Uvedalia.—Uvedalia, Leaf-cup, Yellow Leaf-cup, American Bear's foot.

Polypodium vulgare.—Rock Polypody, Female Fern, Common Polypody, Femroot, Rock-brake, Brake-root, Polypodi-of-the-Oak, Engelsiisswurz (Ger.).

Polyporus officinalis.—White Agaric, Larch or Purging Agaric, *Boletus laricis*.

Polytrichum Juniperinum.—Hair-cap Moss, Bearsbed, Ground Moss, Robins-rye.

Populus candicans.—Balm-of-Gilead, Ontario Poplar.

Populus tremuloides.—American or White Poplar, Aspen, Quaking Aspen, Abele-tree, Zitter-Pappel (Ger.).

Potentilla reptans.—Common Cinque-foil, Five-leaf Grass, Fivefinger.

Potentilla Tormentilla.—Tormentil, Sept-foil, Tormentilla erecta, Tormentilla officinalis.

Primula veris.—Cowslip, Paigles.

Primula vulgaris.—Common Primrose, Auricula.

Prinos verticillatus.—American Black-Alder, Winterberry.

Prunella vulgaris.—Self-heal, Heal-all, Hook-heal, Prunella, Sickle-wort, Carpenter's-herb, Brown Bugle, Middle Comfrey, Middle Confound.

Prunus Laurocerasus.—Cherry Laurel. *Prunus Persica.*—Peach. *Amygdalus Persica*, *Persica vulgaris*.

Prunus serotina.—Wild Cherry, *P. virginiana*. *Cerasus serotina*, *Cerasus virginiana*.

Psychotria Ipecacuanha.—Ipecacuanha, *Cephaelis Ipecacuanha*.

Ptelea trifoliata.—Wafer-ash, Swamp Dogwood, Wingseed, Shrubby Trefoil, Hop tree, Ptelea.

Pterocarpus Marsupium.—Kino, Gum Kino.

Pulmonaria officinalis.—Lungwort.

Pulsatilla nigricans.—Pulsatilla, *Anemone pratensis*.

Punica Granatum.—Pomegranate.

Pyrethrum roseum.—See *Chrysanthemum roseum*.

Pyrus aucuparia.—Rowan-tree, Witchin, Mountain-ash, *Sorbus aucuparia*, *Mespilus aucuparia*.

Pyrus Cydonia.—Quince seed, *Cydonia vulgaris*.

Quercus Lusitanica.—Nutmalls, Blue Galls.

Quercus Robur.—Common Oak, Tanner's Bark.

Quillaja Saponaria.—Soaptree, Soap Bark, Quillaia, Panama Bark.

- Ranunculus Ficaria.**—Pilewort, Smaller or Lesser Celandine, Fog-wort.
- Rhamnus cathartica.**—Buckthorn, Purging Buckthorn, Baccae Spinae-cervinae.
- Rhamnus Frangula.**—Alder Buckthorn, Berry-bearing Alder.
- Rhamnus Purshiana.**—Sacred or Chittem Bark, Cascara Sagrada.
- Rheum officinale.**—East Indian, China or Turkey Rhubarb, R. Palmatum.
- Rheum rhaponticum.**—English Rhubarb, R. undulatum.
- Rhus aromatica.**—Sweet or Fragrant Sumach, Smoke-tree, Wig-tree.
- Rhus glabra.**—Smooth, Upland or Pennsylvania Sumach.
- Rhus Toxicodendron.**—Poison Oak, Poison Ivy or Vine.
- Ribes nigrum.**—Black Currant, Schwarze Johannisbeere (Ger.).
- Ricinus communis.**—Castor Oil Plant or Bush, Palma Christi.
- Rosmarinus officinalis.**—Rosemary, Romero.
- Rubia tinctorum.**—Madder, Dyer's Madder, Barance (Fr.).
- Rubus idaeus.**—Wild Raspberry.
- Rubus villosus.**—American Blackberry or Bramble.
- Rumex acetosa.**—Common Sorrel.
- Rumex acetosella.**—Field or Sheep Sorrel.
- Rumex aquaticus.**—Great Water Dock, Red Dock, Bloodwort.
- Rumex crispus.**—Yellow or Curled Dock.
- Ruscus aculeatus.**—Common Butcher's Broom, Kneeholm, Knee Holly, Kneehulver, Kneeholy, Ruscus, Bruscus, Pettigree, Sweet Broom.
- Ruta graveolens.**—Rue, Garden Rue, Herb-of-Grace, Herby-grass.
- Sabal serrulata.**—See *Serenoa serrulata*.
- Salix alba.**—European White Willow, Huntingdon Willow.
- Salix nigra.**—Black American or Pussy Willow.
- Salvia officinalis.**—Garden Sage, Salvei (Ger.).
- Salvia sclarea.**—Clary, Clarry, Clear Eye, *S. verbenaca*.
- Sambucus Ebulus.**—Dwarf Elder, Danewort, Wallwort,
- Sambucus nigra.**—European or Black Elder.
- Sanguinaria Canadensis,**—Bloodroot, Red Puccoon, Burtwurz (Ger.).
- Sanicula Europaea.**—Sanicle, Pool-root.
- Santalum album.**—Sandalwood, Santalwood.
- Santolina chamaecyparissias.**—Lavender Cotton.
- Saponaria officinalis.**—Soapwort, Soaproot, Bouncing Bet, Fuller's Herb, Seifenwurz (Ger.).
- Sarracenia purpurea.**—North American Pitcher Plant, Flytrap,

Water Cup, Saddleplant, Side-Saddle Flower, Huntsman's Cup.

Sassafras officinale.—Sassafras, *S. variifolium*.

Scabiosa succisa.—Ofbit, Devil's-bit Scabious.

Schoenocaulon officinale.—Sabadilla, Cevadilla, Veratrum officinale, Asagroea officinalis.

Scilla maritima.—Squill, *Urginea scilla* or *Indica*.

Scolopendrium vulgare.—Hartstongue, *Asplenium Scolopendrium*, *Phyllitis Scolopendrium*.

Scrophularia aquatica.—Brownwort, Bishop's Leaves, Water Figwort, Water Betony, *Betonia aquatica*.

Scrophularia nodosa.—Knotted Figwort, Rosenoble, Throatwort, Carpenter's Square.

Scutellaria lateriflora.—Scullcap, Mad-dog weed, Hoodwort, Madweed, Helmet flower. Blue Scullcap, Side-flowering Scullcap, *S. integrifolia*, *S. galericulata*.

Sempervivum tectorum.—Common Houseleek, Sengreen, Joubarbe des toits (Fr.).

Senecio aureus.—Life-root, Rag-wort, False Valerian, Golden Senecio, Squaw-weed, Female Regulator.

Senecio Jacobaea.—Rag-wort, Ragweed, Stinking Nanny, St. Jame's wort, Staggerwort, Dog-standard, Fireweed, Stammerwort, Stinking Willie, Dusty Miller, *Jacobaea*.

Senecio maritimus.—*Cineraria maritima*.

Senecio vulgaris.—Groundsel, Grounsel.

Serenoa serrulata.—Saw Palmetto, *Sabal serrulata*.

Serpentaria.—See *Aristolochia Serpentaria*.

Sesamum indicum.—Benne, Sesam, Sesame, Gingelly.

Siegesbeckia orientalis.—Siegesbrakia.

Silphium laciniatum.—Rosinweed, Compass Plant, Compass weed. Polar Plant.

Silphium perfoliatum.—Indian cup plant. Ragged-cup.

Simaruba officinalis.—Simaruba, Mountain Damson.

Sisymbrium officinale.—Hedge-mustard, *Eysimum officinale*.

Smilax officinalis.—Sarsaparilla.

Solanum carolinense.—Horsenettle, Bullnettle, Sandbrier Treadsoft, Treadsaf.

Solanum dulcamara.—Bittersweet, Woody Nightshade, Violet-bloom, Scarletberry, Felonwood, Felonwort, Mortal, Jerusalem Cherry, Egg-plant, *Amara dulcis*.

Solanum insidiosum.—Jurubeba.

Solidago odora.—Sweet-scented Goldenrod, Sweet Goldenrod, Fragrant-leaved Goldenrod.

Sorghum vulgare.—Sorghum seeds. Broom-corn.

Spigelia Marilandica.—Pinkwort, Carolina Pink, Wormgrass, Maryland Pink, Indian Pink.

Spiraea Ulmaria.—Meadowsweet, Queen-of-the-Meadow, Meadowsweet, Bridewort, Lady-of-the-Meadow, Dolloff.

Stachys betonica.—Wood Betony, Bishop's wort, *Betonica*

officinalis, Lamb's Ears.

Stachys palustris.—Allheal, Panay, Opopanewort, Clownswort, Opphanewort, Hercules' Allheal or woundwort. Downy woundwort, Clown's woundwort. Marsh woundwort, Rusticum Vulna Herba.

Statice Caroliniana.—Marsh Rosemary, American Sea-Lavender, Inkroot, *S. limonium*.

Stellaria media.—Common Chickweed, Starweed, Star Chickweed, *Alsine media*.

Sticta pulmonaria.—Lungwort, Oak Lungs, Lungmoss.

Stillingia sylvatica.—Queen's root. Queen's delight. Yaw-root, Silver-leaf.

Strophanthus Kombe.—Strophanthus.

Strychnos Ignatii.—See *Ignatia amara*.

Strychnos Nux Vomica.—*Nux Vomica*. Quaker Buttons, Poison-nut.

Styraz Benzoin.—Benzoin, Gum Benzoin, Gum Benjamin, Siam, Sumatra or Palembang Benzoin.

Swertia Chirata.—Brown or white Chirata, Chirayta, Griseo, *Ophelia chirata*.

Symphytum officinale.—Comfrey, Nipbone, Knitbone, *Consolidae*.

Symplocarpus foetidus.—Skunk Cabbage, Polecat-weed, Snow-berry, Meadow cabbage, *Dracontium foetidum*.

Tamus communis.—Black Bryony, Black-eye root.

Tanacetum vulgare.—Tansy, Rheinfarre (Ger.).

Taraktogenos Kurzii.—Chaulmoogra, Chaulmugra, Chaulmogra.

Taraxacum officinale.—Dandelion, *T. dens-leonis*, *Leontodon taraxacum*.

Teucrium Chamaedrys.—Wall Germander, Chasse fievre (Fr.), Petit Chene (Fr.).

Teucrium Scordium.—Water Germander.

Teucrium Scorodonia.—Wood-sage, Garlic-sage, Germander.

Thuja Occidentalis.—Arbor-Vitae, Yellow or White Cedar, Tree-of-Life.

Thymus serpyllum.—Wild Thyme, Mother-of-Thyme, Serphyllum.

Thymus vulgaris.—Common or Garden Thyme, Tomillo.

Tiarella cordifolia.—Coolwort, Mitrewort, Foam-flower.

Tilia Europea.—Lime flowers. Linden flowers. Linn-flowers, *T. platyphylla*, *T. cordata*, *T. vulgarts*.

Trifolium pratense.—Red or Purple Clover, Trefoil.

Trigonella Foenum-graecum.—Fenugreek.

Trillium pendulum.—Bethroot, Wake-robin, Indian Balm, Birth-root, Lamb's quarter. Ground Lily, Wood-lily, *T. erectum*.

Tsuga Canadensis.—See *Abies Canadensis*.

Turnera aphrodisiaca.—Damiana.

Tussilago farfara.—Coltsfoot, Coughwort, Horsehoof, Foal's or Bull's foot.

Ulmus Fulva.—Slippery Elm, Red or Moose Elm.

Uva-ursi.—Bearberry, Arctostaphylos Uva-ursi.

Vaccinium Myrtillus.—Bilberry, Huckleberry, Whortleberry, Hurtleberry, Blackheart, Blaeberry.

Valeriana officinalis.—Great Wild or Cat Valerian.

Veratrum viride.—American Hellebore, Indian Poke, Itchweed, Swamp or Green Hellebore, American Veratrum.

Verbascum thapsus.—Hig-taper Mullein, Blanket-herb, Wollkraut (Ger.).

Verbena officinalis.—Vervain, Wild Hyssop, Simpler's Joy, V. hastata.

Veronica Beccabunga.—Brooklime, Water Pimpernel.

Veronica officinalis.—Common Speedwell, Bird's-eye, Cat's-eye.

Viburnum opulus.—High Cranberry, Cramp-bark, Guelder Rose, Laurustinus, Snowball-tree, V. oxycocceus.

Viburnum prunifolium.—Black Haw, American Sloe, Stagbush.

Vinca major.—Greater Periwinkle.

Viola odorata.—Sweet Violet.

Viola tricolor.—Pansy, Wild Pansy, Heartsease.

Viscum album.—European Mistletoe, Birdlime Mistletoe.

Vitis hederacea.—See Ampelopsis quinquefolia.

Xanthoxylum fraxineum.—Northern Prickly Ash, Yellow wood, Suterberry, Toothache-tree, X. fraxinifolium, X. ramiflorum, X. tricarpium, Fagara Clava-Herculis, X. Carolinianum.

Zea Mays.—Indian Corn, Corn Silk, Stigmata maidis.

Zingiber officinale.—Ginger.